## REQUEST FOR QUOTATION (RFQ) No. 359-2024



**Procurement Unit** 

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULAR	S APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2024-02-037 (PROCUREMENT)	KITCHEN APPLIANCES AND EQUI	PMENT 920,000.00
Purpose:Kitchen Appliances and E		
Philgeps Posting: Active Dat Closing Da	e: 5 4 24 ate: 5 8 2 4	Category: AMINUS Reference No.: 108/6597
	d to submit the following documents ayor's / Business Permit egistration	: atest Income / Business Tax Retur Omnibus Sworn Statement Brochure, if applicable
<ul><li>3. Delivery Site: Sup (045)</li><li>4. Warranty shall be</li></ul>	calendar days from calendar days from calendar days from submission ply and Property Management Unit, 606-8159 / (045) 982-2605 for a period minimum of three (3) mafter acceptance by the procuring er	Tarlac State University onths of expendable supplies, or a
	e to the bidder with the lowest quota ical specifications and other terms a	
Any alteration, erasures, or ove or his/her duly authorized repre	rwriting shall be valid only if they are sentative.	signed or initialed by the bidder
than 5/8/24 at the Prod	e Quotation Form (Attachment 1) ar curement Unit, Admin Building Tarla manually or through email at <b>tsuca</b>	c State University, Tarlac City.
portion for every day of delay.	one tenth (1/10) of one (1) percent Once the cumulative amount of liquities procuring entity shall rescind the copen to it.	dated damages reaches ten (10%)

ELENA MAY T. TEOFILO

to the affected bidder or bidders.

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 4

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability

#### **PRICE QUOTATION**

Date:	5/2/2024
RFQ No.	359-2024
PR No.	2024-02-037 (PROCUREMENT)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

#### Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	unit	DIGITAL TABLE TOP WEIGHING SCALE, Technical Specifictaions: Capacity / Readability (Kg.): 150 x 0.02 kg Dimension (Inch): 21.65 x 16.53 in 550 x 420 x 140 mm (Column height: 600 mm - 23.62 in) Material weight indicator: P ABS housing Material weighing platform: P Painted carbon steel, 304 stainless steel load plate Application package: Weighing, Counting, Check Weighing, Check Counting, Totalizing Weighing units: kg, g, lb, oz, lb:oz Ingress protection rating: IP43 Display: LCD display with white backlight, 1.4 in/35 mm height, 6 digits, 14-segment Checkweighing indicators: 3 LED (yellow, green, red) with configurable operation and alert beeper Keypad: 5 mechanical keys Zero range: 2 % or 10 % of full scale capacity Tare range: Full capacity by subtraction Stabilization time: 1 second Auto-zero tracking: Off, 0.5, 1 or 3 divisions Safe overload: 150 % of rated scale capacity Leveling components: Externally visible level indicator and adjustable leveling feet Power: 100 – 240 V – 50/60 Hz AC adapter or internal rechargeable lithium battery Battery operation time: Up to 500 hours operation time between recharges with 12 hour recharge time Calibration: External, with calibration weight Interface: Built-in USB-C, USB-A, RS232 Operating temperature: -10 oC to 40 oC Product dimension: 310 x 302 x 85 mm (w x d x h) Compliance electromagnetic compatibility: FCC Part 15 Class B, IEC 61326-1 (emissions Class B, immunity industrial requirements)	1		

		strial requirements)	20-1 (emissions Class b,	
		· · · · · · · · · · · · · · · · · · ·		
Warranty	:			
The above-quoted price	is inclu	isive of all costs ar	nd applicable taxes	
Very truly yours,				
AUTHORIZED REPRES	SENTA	TIVE:		
Signature	:			
Printed Name	:		<del></del>	
Date	:			
Company Name Regist	ered :		<del></del>	
E-mail Address	:			
Contact no.	:		<del></del>	
BANK DETAILS:				
Bank Name	:			
Bank Address	:	<u> </u>		
Bank Account Name	•		<del></del>	
Bank Account Number	:			
Form No.: TSU-PRO-SF-06		Revision No.: 06	Effectivity Date: March 5, 2020	Page 2 of 4

### PRICE QUOTATION

Date:	5/2/2024
RFQ No.	359-2024
PR No.	2024-02-037 (PROCUREMENT)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
ž	piece	GAS RANGE WITH OVEN, 5. Aluminum gas burners including central, 3.5 kW triple ring burner; w/ Safety device, Fan assisted gas oven with electric grill, Stainless steel single piece worktop. Light Cast iron trivet. Minute minder (timer, Large metal finish knobs, one hand ignition, U-shaped stainless steel oven door, Double glass door, Stainless steel body, Dimension. 800(W)x500(D)x853-923(H)mm; Warranty: 1 year	2		
3	unit	GAS RANGE, with Oven, Stainless Steel, 4 Gas top burner 36", range with 1 standard oven, Size 1800 x W900 x H920mm, Oven Size: L550 x W680, H270 mm. Power Supply: 7.5 x 4 + 5.8 KW   Warranty: 1 year	à		
4	unit	GLASS SHOWCASE, CAKE DISPLAY, Model: HW 60-3; Temp_tange! 30-850; 1.84Kw! 220-230V; 50/60Hz, PID Temperature Controller,1HP Compressor, Forced Air Convection, Forced Air Defrost Circulation; Refrigerant: R134a; 2 Glass Shelves; 380L Capacity; Dimensions: 1200x760x1250mm; Warranty: 1 year, with training/demonstration			1
Ē	piece	INDUSTRIAL BAKE OVEN, (gas and electric) Voltage: 380V/50Hz, Power: 2.5kw, Weight, 240 KG Material: 304 stainless steel deck oven Deck: 2 deck Power Source: Electric and Gas bakery oven Processing Types: Automatic bread oven Tray quantity: 4pcs Capacity 50-200kg/h °C, Warranty: 1 year	1		

Warranty			
The above-quoted price is inc	lusive of all costs a	nd applicable taxes	
Very truly yours, AUTHORIZED REPRESENTA	ATIVE:		
Signature			
Printed Name		<del></del>	
Date :	-		
Company Name Registered	,	<del> </del>	
E-mail Address	1		
Contact no.		<del></del>	
BANK DETAILS:			
Bank Name			
Bank Address :			
Bank Account Name	:		
Bank Account Number	·		
Form No., TSU-PRO-SF-06	Revision No. 06.	Effectivity Date: March 5, 2020	Page 3 of 4

# PRICE QUOTATION

Date	5/2/2024
RFQ No.	359-2024
PR No.	2024-02-037 (PROCUREMENT)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
6	unit	MICROWAVE OVEN, Oven Capacity 301 (1:0 Cu,ft), Control Method Touch; Door Type Side Swing with Handle; Cavity Material Ceramic Enamel; Trimtable Size: 318 mm; Display Type: LED (White); Power Source: 230V / 60Hz; Power Source: 230V / 60Hz; Output Power (Microwave) 900 W.; Power Consumption (Grill): 1500 W; Power Consumption (Microwave): 1500 W; Power Consumption (Max): 2900 W; Power Level: 6; Cavity (WxHxD): 357 X 255 X 357mm; Outside (WxHxD): 517 x 297.3 x 425.3mm; Shipping (WxHxD): 573 x 365 x 469mm; Weight (Net): 15.9kg; Warranty: 1 year	.2		
7	piece	REFRIGERATOR, Reach-in refrigerator- 24:0cult/687L Side By Side Refrigerator Inverter Linear Compressor, Smart Diagnosis Pocket Handle, Hygiene Fresh Smart ThinQ thru Wifi, Moist Balance Crisper, LED Lighting, Low Voltage Start Ability, R600a Refrigerant, Tempered Glass Shelves, Deodorizer, Twist-Ice Tray, Door Basket, Vegetable Box, VCM Platinum Finish, Weight: 124 kg. Dimension (WxHxD) 912x1790x738 mm; Warranty: 1 year	1		

Warranty		
The above-quoted price is in	clusive of all costs and applicable taxes	
Very truly yours,		
AUTHORIZED REPRESENT	ATIVE:	
Signature Printed Name Date Company Name Registered E-mail Address Contact no		
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number		
	In the second second	1

Form No., TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 4 of 4



Central Portal for Philippine Government Procurement Oppurtunities

# **Bid Notice Abstract**

### Request for Quotation (RFQ)

Reference Number

10816597

**Procuring Entity** 

TARLAC STATE UNIVERSITY

Title

Kitchen Appliances and Equipment

**Area of Delivery** 

Tarlac

Solicitation Number:	359-2024	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Appliances		
Approved Budget for the	PHP 920,000.00	<u></u>	
Contract:		Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	04/05/2024
Contact Person:	Tutchie Panlilio		
	Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac	Last Updated / Time	03/05/2024 09:29 AM
	Philippines 2300 63-045-6068142	Closing Date / Time	08/05/2024 13:00 PM
	tsucanvassing@gmail.com		

#### Description

Kitchen Appliances and Equipment - APP 1st Quarter 2024

#### **Line Items**

rille Iteliis					
Item No.	Product/Service Name	Description	Quantity •	UOM	Budget (PHP)
1	DIGITAL TABLE TOP WEIGHING SCALE	Technical Specifictaions: Capacity / Readability (Kg.): 150 x 0.02 kg Dimension (Inch): 21.65 x 16.53 in 550 x 420 x 140 mm (Column height: 600 mm - 23.62 in) Material weight indicator: P ABS housing Material weighing platform: P Painted carbon stee	1	Unit	50,000.00
2	GAS RANGE WITH OVEN	5 Aluminum gas burners including central, 3.5 kW triple ring burner; w/ Safety device, Fan assisted gas oven with electric grill, Stainless steel single piece worktop, Light Cast iron trivet, Minute minder (timer, Large metal finish knobs, one- hand	2	Piece	140,000.00
3	GAS RANGE	with Oven- Stainless Steel, 4 Gas top burner 36" range with 1 standard oven. Size L800 x W900 x H920mm, Oven Size: L550 x W680, H270 mm. Power Supply: 7.5 x 4 + 5.8 KW; Warranty: 1 year	4	Unit	280,000.00
4	GLASS SHOWCASE, CAKE DISPLAY	Model: HW -60-3; Temp. range: 30-85C; 1.84Kw; 220-230V; 50/60Hz, PID Temperature Controller,1HP Compressor, Forced Air Convection; Forced Air Defrost Circulation; Refrigerant: R134a; 2 Glass Shelves; 380L Capacity; Dimensions: 1200x760x1250mm; Warran	1	Unit	175,000.00
5	INDUSTRIAL BAKE OVEN	(gas and electric) Voltage: 380V/50Hz, Power: 2.5kw, Weight: 240 KG Material: 304 stainless steel deck oven Deck: 2	1	Unit	115,000.00

,,,	-XIVI		<b>F</b>	-		
			deck Power Source: Electric and Gas bakery oven Processing Types: Automatic bread oven Tray quantity: 4pcs Capacity: 50-200kg/h °C; Wa			
;	6	MICROWAVE OVEN	Oven Capacity 30L (1.0 Cu.ft); Control Method Touch; Door Type Side Swing with Handle; Cavity Material Ceramic Enamel; Turntable Size: 318 mm; Display Type: LED (White); Power Source 230V / 60Hz; Power Source: 230V / 60Hz; Output Power (Microwave)	2	Unit	100,000.00
	7	REFRIGERATOR	Reach-in refrigerator- 24.0cuft/687L Side By Side Refrigerator Inverter Linear Compressor, Smart Diagnosis Pocket Handle, Hygiene Fresh Smart ThinQ thru Wifi, Moist Balance Crisper, LED Lighting, Low Voltage Start Ability, R600a Refrigerant, Tempered	1	Piece	60,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by

Tutchie Panlilio

**Date Created** 

03/05/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap