REQUEST FOR QUOTATION (RFQ) No. 018-2024



The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

| Purchase Request No. | | DESCRIPTION/P | ARTICULARS | APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT |
|--|-----------------------------|--|---|--|
| 2024-01-007 (PROCUR | EMENT) | VARIOUS AUDIO AND | VISUAL SUPPLIES | 380,100.00 |
| Purpose: Audio and Visu | al Supplies | - APP 1st Quarter 2024 | | |
| Philgeps Posting: A | ctive Date | . 1/31/24 e: 2/6/24 | Category Reference | ANDRE VILLAL EQUIP. |
| Interested suppliers ar | e required urrent May | to submit the following or's / Business Permit | Latest Inc | come / Business Tax Retur Sworn Statement , if applicable |
| 2. Bid Validi3. Delivery \$4. Warranty | Schedule; ity: | calendar calendar calendar calendar calendar days for and Property Manage conditions of the part of th | rom submission of bement Unit, Tarlac S 605 three (3) months of | ids tate University expendable supplies, or a |
| Award of contract shal comply with the minim | | | • • | he subject goods which itions stated herein. |
| Any alteration, erasure or his/her duly authoriz | | - · | ly if they are signed | or initialed by the bidder |
| | t the Procu | rement Unit, Admin Bu | ilding Tarlac State U | |
| portion for every day of | of delay. O t price, the | nce the cumulative am procuring entity shall r | ount of liquidated da | ost of the underperformed mages reaches ten (10%) vithout prejudice to other |
| | with Sect | | | ding, or not award the reby incurring any liability |
| the state of the s | | | * ** | |

ELENA MAY T. TEOFILO Head, Procurement Unit

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 5

| Date: | 1/26/2024 |
|---------|---------------------------|
| RFQ No. | 018-2024 |
| PR No. | 2024-01-007 (PROCUREMENT) |

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

| ITEM NO. | UNIT | ITEM & DESCRIPTION | QUANTITY | UNIT PRICE | TOTAL PRICE |
|-------------|---|---|--|------------|--------------|
| | . <u></u> , | AMPLIFIER, Microphone Voice Amplifier, Can | | | |
| | | support TF/U disk playback, MP3 audio files and USB | | | |
| | | files, FM radio function, Speaker function Small & | | | |
| 1 | piece | Portable Voice Amplifier/Speaker, Comes with | 25 | | |
| | | adjustable waist or neck band and a belt clip, Comes | | | |
| | | with Headset microphone, Charger USB cable, FM | | | |
| | | Radio, Microphone line in port. | | | |
| Ì | | AMPLIFIER, Mini Portable Voice Amplifier | | | |
| 2 | unit | Megaphone Booster with Wired Microphone | 2 | | |
| <u>.</u> i_ | | Loudspeaker Speaker Lapel Mic | | | |
| | | AMPLIFIER, PORTABLE WIRELESS VOICE AMPLIFIER, | | | |
| 3 | unit | rechargeable design, with recording function, with | 1 | | |
| 3 | unit | USB charge cable, with wireless lapel microphone | | | |
| | | and speaker. | ļ <u> </u> | | |
| ĺ | | CAMERA, AF Point Selection | | | |
| | | Automatic Selection, Manual Selection AF System Points | | | |
| | | Up to 143 AF Areas (Auto selection) Built-in Flash | | | ļ |
| [| | Yes Continuous Shooting Speed (Shot per sec) (Up to) | | | ł |
| ļ | | 6.1 (one-shot AF) / 4 (Servo AF) Drive System Stepping | _ | | |
| 4 | unit | Motor-driven lead screw + rack system Effective ISO 100- | 1 | | |
| | | 25600 (H:51200) Effective Pixels (Megapixels) 24.1 Flash | | | |
| | Modes E-TTL II Autoflash, FE Lock, Manual Flash (on/of) | | | | |
| | | Image Resolution 6000 x 4000 (L) 3984 x 2656 (M) 2976 x | | | |
| | | 1984 (SI) 2400 x 1600 (s2) 6000 x 4000 (RAW & C- RAW) | | | |
| | | Image Stabilizer Lens-shift type & In-body 3-axis electronics | | | |

| intege state | inaci zona anne type et mi | | | |
|---|----------------------------|---------------------------------|---|-------------|
| | | | | |
| Warranty | : | | | |
| The above-quoted price is inc | clusive of all costs a | nd applicable taxes | | |
| Very truly yours, | | | | |
| AUTHORIZED REPRESENT | ATIVE: | | | |
| Signature Printed Name Date : Company Name Registered E-mail Address Contact no. BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number | | | | |
| Form No.: TSU-PRO-SF-06 | Revision No. 06 | Effectivity Date: March 5, 2020 | - | Page 2 of 5 |

| Date: | 1/26/2024 |
|---------|---------------------------|
| RFQ No. | 018-2024 |
| PR No. | 2024-01-007 (PROCUREMENT) |

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

| ITEM NO. | UNIT | ITEM & DESCRIPTION | QUANTITY | UNIT PRICE | TOTAL PRICE |
|----------|------|--|----------|------------|-------------|
| | | 4000 (L) 3984 x 2656 (M) 2976 x 1984 (SI) 2400 x 1600 (s2) 6000 x 4000 (RAW & C- RAW) Image Stabilizer Lens-shift type & In-body 3-axis electronics image stabilization LCD Monitor (size) (inch) 3 inches Manual Focus Yes Memory Card Type SD, SDHC*, SDXC*, * UGS-I Cards compatible Peripheral Connections Hi-Speed USB (USB Micro-B), HDMI (Type D) Sensor Size APS-C Still Image Format JPEG, RAW, RAW + JPEG, C-RAW+JPEG Color Black Included Battery Yes, Battery pack, and Battery Charger with Power Cord Included Lens Kit Filter Size:49 mm (Front) Focal Length: 15 to 45 mm (35 mm Equivalent Focal Length: 24 to 72mm) Aperture: Max: f/3.5 to 6.3 Accessory Carrying bag, Neck Strap Warranty 3 years Local Supplier Warranty. | | | |
| 5 | unit | GIMBALS & STABILIZER, GIMBAL FOR DSLR; Gimbal Weight (Batteries included) 1.05kg; Payload: Minimum:300g; Maximum 3.2kg; Dimension(mm) Storage Dimension 230x330x90; Extended Dimension: 240x170x390 | 1 | | |
| 6 | unit | GIMBALS & STABILIZER, GIMBAL FOR PHONE; Number of Axes: 3-Axis; Tilting Angle: 349 degrees; Configured for Smartphones; Communication: Bluetooth; Material: Aluminum; Weight:165g; Size: 311x168x52mm | 1 | | |

| l l | uetooth; N .1x168x52i | laterial: Aluminum; V nm | Veight:165g; Size: | | |
|---|--------------------------|-----------------------------|----------------------|--------------|-------------|
| | | <u> </u> | | | |
| Warranty | : . | | - christ | | |
| The above-quoted price Very truly yours, AUTHORIZED REPRE | | | nd applicable taxes | | |
| Signature | : | | | | |
| Printed Name | : | | | | |
| Date | : | | · | | |
| Company Name Regis | tered : | | | | |
| E-mail Address | : | - u.s | | | |
| Contact no. | : | | | | |
| BANK DETAILS: | | | | | |
| Bank Name | : | | . <u></u> | | |
| Bank Address | : | | <u> </u> | | |
| Bank Account Name | : | | | | |
| Bank Account Number | : | | <u></u> | | |
| Form No.: TSU-PRO-SF-06 | ·· | Revision No.: 06 | Effectivity Date: Ma | arch 5, 2020 | Page 3 of 5 |

| Date: | 1/26/2024 |
|---------|--------------------------|
| RFQ No. | 018-2024 |
| PR No. | 2024-01-007 (PROCUREMENT |

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

| ITEM NO. | UNIT | ITEM & DESCRIPTION | QUANTITY | UNIT PRICE | TOTAL PRICE |
|----------|-------|--|----------|------------|-------------|
| 7 | piece | LAPEL, Portable; USB 2.0 Interface; MP3 Music Play mode; Radio Function | 4 | | |
| 8 | piece | LED LIGHT, "LED PAR Light 54 Watts SMD RGB PAR54 attage 54W Light Source High brightness LED SMD Dimension Dia 225mm x H300mm Light Color Interchangeable RBG Material Aluminum Alloy Housing + Heattreated Glass Lens Beam Angle 10°, 15°, 30°, 45°, 60° degrees Working Temperature -40°C - +50°C Working Voltage AC 85V - 265V 50/60 Hz IP Rating IP 65 (Best for Outdoor)" | 24 | | |
| 9 | roll | MICROPHONE, cable wire heavy duty 100mtr/roll | 1 | | |
| 10 | unit | MICROPHONE, Camera mounted mic for DSLR camera; 3.5mm Mini Jack Output Connector; 1/4"-20 Socket for use with Boom Pole; Built in headphone monitoring; Includes Foam windscreen | 2 | | |
| 11 | unit | MICROPHONE, portable, Wireless (Battery Operated) | 2 | | |
| 12 | unit | MICROPHONE, Wired Microphone, Type Dynamic (moving coil) Frequency Response 50 to 15,000 Hz Polar Pattern Cardioid Output Impedance 300 Ω Sensitivity at 1 kHz, open circuit voltage -56.0 dBV/Pa | 4 | | |

| Warranty | : | | |
|---|------------------|---------------------------------|-------------|
| The above-quoted price is in Very truly yours, AUTHORIZED REPRESEN | | nd applicable taxes | |
| Signature Printed Name Date Company Name Registered E-mail Address Contact no. BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number | | | |
| Form No.: TSU-PRO-SF-06 | Revision No.: 06 | Effectivity Date: March 5, 2020 | Page 4 of 5 |

| Date: | 1/26/2024 |
|---------|---------------------------|
| RFQ No. | 018-2024 |
| PR No. | 2024-01-007 (PROCUREMENT) |

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

| ITEM NO. | UNIT | ITEM & DESCRIPTION | QUANTITY | UNIT PRICE | TOTAL PRICE |
|----------|-------|--|----------|------------|-------------|
| | | dBV/Pa [1] (1.6 mV) Polarity Positive pressure on diaphragm produces positive voltage on pin 2 with respect to pin 3 Weight 0.33 kg (0.72 lb) Switch SM58S, SM58SE On/Off Switch Connector Three-pin professional audio (XLR), male Housing Dark gray, enamel-painted, die cast metal; mattefinished, silver colored, spherical steel mesh grille 1 dBV/Pa= 94 dB SPL | | | |
| 13 | unit | MICROPHONE, Wireless Voice Amplifier with Headset Microphone, Charging voltage: 5V, USB output 5V 0.15A,Output power:3W,Working voltage:DC3.7V,Frequencyresponse:100Hz-20KHz,SNR ≥50dB,Distcrtion degree: ≤1.5%,Speaker Power:2C 5W,UHF:639-897MHz,UHF distance:50m,FM:87.5-108MHz,Battery capacity:150CmAh,Working time:3-4h,Charging time:4-6h, Mic:3.5mm,Size:87*129*46mm,Weight:222.6g | 5 | | |
| 14 | piece | MICROPHONE, XLR jack connector female 3pin | 20 | | |
| 15 | piece | speaker, Portable Speaker Trolley (Frequency response:50Hz-20Hz, S/N Ratio:71dB, Led Lights, Guitar Input, Wired Mic Input, 500W Portable Sound System with 2 Handheld Wireless Mic, remote controll, FM, USB, Bluetooth, Rechargeable Battery) | 7 | | |

| Cont | ion, rivi, 036, Bidelootii, | Rechargeable battery) | | |
|--|-----------------------------|------------------------|-------------|-------------|
| | | | | |
| Warranty | : | | | |
| The above-quoted price Very truly yours, AUTHORIZED REPRES | | s and applicable taxes | | |
| Signature Printed Name Date Company Name Registe E-mail Address Contact no. BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number | ered : | | | |
| Form No TSILPRO-SE-06 | Revision No. 06 | Effectivity Date: Mar | rch 5, 2020 | Page 5 of 5 |



Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

10513671

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Various Audio and Visual Supplies

Area of Delivery

Tarlac

| Solicitation Number: | 018-2024 | Status | Pending |
|-----------------------------------|---|-----------------------|---------------------|
| Trade Agreement: | Implementing Rules and Regulations | | |
| Procurement Mode: | Negotiated Procurement - Small Value Procurement (Sec. 53.9) | Associated Components | 3 |
| Classification: | Goods | Bid Supplements | 0 |
| Category: | Audio and Visual Equipment | | |
| Approved Budget for the Contract: | PHP 380,100.00 | Document Request List | 0 |
| Delivery Period: | 30 Day/s | | |
| Client Agency: | | Date Published | 31/01/2024 |
| Contact Person: | Tutchie Panlilio | - | |
| | Clerk TSU, Romuło Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac | Last Updated / Time | 30/01/2024 15:31 PM |
| | Philippines 2300 63-045-6068142 | Closing Date / Time | 06/02/2024 13:00 PM |
| | tsucanvassing@gmail.com | | |

Description

Audio and Visual Supplies - APP 1st Quarter 2024

Line Items

| Item No. | Product/Service Name | Description | Quantity | иом | Budget (PHP) |
|----------|---|--|----------|-------|--------------|
| 1 | AMPLIFIER, Microphone Voice Amplifier | Can support TF/U disk playback, MP3 audio files and USB files, FM radio function, Speaker function Small & Portable Voice Amplifier/Speaker, Comes with adjustable waist or neck band and a belt clip, Comes with Headset microphone, Charger USB cable, F | 25 | Piece | 50,000.00 |
| 2 | AMPLIFIER, Mini Portable Voice Amplifier | Megaphone Booster with Wired Microphone Loudspeaker Speaker Lapel Mic | 2 | Unit | 4,000.00 |
| 3 | AMPLIFIER, PORTABLE WIRELESS VOICE AMPLIFIER, | rechargeable design, with recording function, with USB charge cable, with wireless lapel microphone and speaker. | 1 | Unit | 6,000.00 |
| 4 | CAMERA | AF Point Selection Automatic Selection, Manual Selection AF System Points Up to 143 AF Areas (Auto selection) Built-in Flash Yes Continuous Shooting Speed (Shot per sec) (Up to) 6.1 (one-shot AF) / 4 (Servo AF) Drive System Stepping Motor-driven lead | 1 | Unit | 33,000.00 |
| 5 | GIMBALS & STABILIZER, GIMBAL FOR DSLR | Gimbal Weight (Batteries included) 1.05kg; Payload: Minimum:300g; Maximum 3.2kg; Dimension(mm) Storage Dimension 230x330x90; Extended Dimension: 240x170x390 | 1 | Unit | 25,000.00 |

| 6 | GIMBALS & STABILIZER, GIMBAL FOR PHONE | Number of Axes: 3-Axis; Tilting Angle: 349 degrees; Configured for Smartphones; Communication: Bluetooth; Material: Aluminum; Weight:165g; Size: 311x168x52mm | 1 | Unit | 10,000.00 |
|----|---|---|----|-------|------------|
| 7 | LAPEL | Portable; USB 2.0 Interface; MP3 Music Play mode; Radio Function | 4 | Piece | 14,000.00 |
| 8 | LED LIGHT | "LED PAR Light 54 Watts SMD RGB PAR54 attage 54W Light Source High brightness LED SMD Dimension Dia 225mm x H300mm Light Color Interchangeable RBG Material Aluminum Alloy Housing + Heattreated Glass Lens Beam Angle 10°, 15°, 30°, 45°, 60° degr | 24 | Piece | 72,000.00 |
| 9 | MICROPHONE | cable wire heavy duty 100mtr/roll | 1 | Roll | 3,500.00 |
| 10 | MICROPHONE | Camera mounted mic for DSLR camera; 3.5mm Mini Jack Output Connector; 1/4"-20 Socket for use with Boom Pole; Built in headphone monitoring; Includes Foam windscreen | 2 | Unit | 20,000.00 |
| 11 | MICROPHONE | portable, Wireless (Battery Operated) | 2 | Unit | 4,000.00 |
| 12 | MICROPHONE | Wired Microphone, Type Dynamic (moving coil) Frequency Response 50 to 15,000 Hz Polar Pattern Cardioid Output Impedance 300 Ω Sensitivity at 1 kHz, open circuit voltage -56.0 dBV/Pa [1] (1.6 mV) Polarity Positive pressure on diaphragm produces posi | 4 | Unit | 20,000.00 |
| 13 | MICROPHONE | Wireless Voice Amplifier with Headset Microphone, Charging voltage: 5V, USB output 5V 0.15A,Output power:3W,Working voltage:DC3.7V,Frequencyresponse:100Hz- 20KHz,SNR ≥50dB,Distcrtion degree: ≤1.5%,Speaker Power:2C 5W,UHF:639- 897MHz,UHF distance:50m,FM | 5 | Unit | 10,000.00 |
| 14 | MICROPHONE | XLR jack connector female 3pin | 20 | Piece | 3,600.00 |
| 15 | SPEAKER, Portable Speaker Trolley | (Frequency response:50Hz-20Hz, S/N Ratio:71dB, Led Lights, Guitar Input, Wired Mic Input, 500W Portable Sound System with 2 Handheld Wireless Mic, remote controll, FM, USB, Bluetooth, Rechargeable Battery) | 7 | Piece | 105,000.00 |

Other Information

The bidders must download the attached documents in the associated component section.

Created by

Tutchie Panlilio

Date Created

30/01/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap