REQUEST FOR QUOTATION (RFQ) No. 103-2025



Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the

subject below:		
Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2025-02-083 (PROCUREMENT)	APPLIANCES AND DEVICES	205,000.00
Purpose: APP 1st Quarter 2024.		
Philgeps Posting: Active Dat Closing Da	e: 2/26/25 Ca ate: 3/5/25 Re	itegory:APPL) ANCET
	d to submit the following documents: ayor's / Business Permit	test Income / Business Tax Returr nnibus Sworn Statement ochure, if applicable
Bid Validity: 3. Delivery Site: Sup (045) 4. Warranty shall be supplies/equipment. Award of contract shall be made.	calendar days from re calendar days from submissi ply and Property Management Unit, T 606-8159 / (045) 982-2605 for a period minimum of three (3) morafter acceptance by the procuring entitle to the bidder with the lowest quotatinical specifications and other terms an	on of bids arlac State University onths of expendable supplies, or a ty of the delivered on for the subject goods which
	erwriting shall be valid only if they are	
than 3/5/25 at the Pro	e Quotation Form (Attachment 1) and curement Unit, Admin Building Tarlac e manually or through email at tsucan	State University, Tarlac City.
portion for every day of delay.	s one tenth (1/10) of one (1) percent of Once the cumulative amount of liquid ne procuring entity shall rescind the cost open to it.	ated damages reaches ten (10%)
The TSU reserves the right to contract in accordance with Se to the affected bidder or bidder	reject any and all bids, declare a failurection 41 of R.A 9184 and its IRR, with	e of bidding, or not award the out thereby incurring any liability

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 2

Head, Procurement Unit

PRICE QUOTATION

Date:	2/25/2025
RFQ No.	103-2025
PR No.	2025-02-083 (PROCUREMENT)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

	MICROWAVE OVEN, - Oven Capacity 30L (1.0 Cu.ft); Control Method Touch; Door Type Side Swing with Handle; Cavity Material			
unit	Ceramic Enamel; Turntable Size: 318 mm; Display Type: LED (White); Power Source 230V / 60Hz; Power Source: 230V / 60Hz; Output Power (Microwave) 900 W; Power Consumption (Grill): 1500 W; Power Consumption (Microwave): 1500 W; Power Consumption (Max): 2900 W; Power Level: 6; Cavity (WxHxD) 357 X 255 X 357mm; Outside (WxHxD): 517 x 297.3 x 425.3mm; Shipping (WxHxD): 573 x 365 x 469mm; Weight (Net): 15.9kg; Weight (Shipping): 17.5kg; Loading Quantity (20/40ft): 288/600.	2		
unit	REFRIGERATOR, Digital Inverter Compressor; Adaptive Defrost Control; Easy Slide-out Shelf; Moist Fresh Zone; 12 hours Cool Pack; Pebble Blue; Dimensions (W- 57cm, L- 59cm, H- 57cm) Disclaimer: additional 2cm for the uploaded dimension of (LXWXH) for the box and bubble wrap.; Package Weight 54.77kg; No defrosting.	1		
unit	UNDER SINK WATER HEATER, 15L capacity, 3kW power rating, 240V Supply Voltage, +70°C Maximum Operating Temperature.	3		
unit	WATER DISPENSER, Bottom Load Water Dispenser Fast Heating (85-90 degrees, Extra cold water (3-8 degreses), Durable and sanitary stainless steel water tanks for hot and cold, Net weight: 15.8 kg, Gross weight (packed): 17.8 kg, Net Dimensions (W x H x D): 310mm x 1040mm x 360mm, Gross Dimensions (W x H x D): 358mm x 1120mm x 386mm.	2		
	unit	X 255 X 357mm; Outside (WxHxD): 517 x 297.3 x 425.3mm; Shipping (WxHxD): 573 x 365 x 469mm; Weight (Net): 15.9kg; Weight (Shipping): 17.5kg; Loading Quantity (20/40ft): 288/600. REFRIGERATOR, Digital Inverter Compressor; Adaptive Defrost Control; Easy Slide-out Shelf; Moist Fresh Zone; 12 hours Cool Pack; Pebble Blue; Dimensions (W- 57cm, L- 59cm, H- 57cm) Disclaimer: additional 2cm for the uploaded dimension of (LXWXH) for the box and bubble wrap.; Package Weight 54.77kg; No defrosting. UNDER SINK WATER HEATER, 15L capacity, 3kW power rating, 240V Supply Voltage, +70°C Maximum Operating Temperature. WATER DISPENSER, Bottom Load Water Dispenser Fast Heating (85-90 degrees, Extra cold water (3-8 degreses), Durable and sanitary stainless steel water tanks for hot and cold, Net weight: 15.8 kg, Gross weight (packed): 17.8 kg, Net Dimensions (W x H x D): 310mm x 1040mm x 360mm, Gross	X 255 X 357mm; Outside (WxHxD): 517 x 297.3 x 425.3mm; Shipping (WxHxD): 573 x 365 x 469mm; Weight (Net): 15.9kg; Weight (Shipping): 17.5kg; Loading Quantity (20/40ft): 288/600. REFRIGERATOR, Digital Inverter Compressor; Adaptive Defrost Control; Easy Slide-out Shelf; Moist Fresh Zone; 12 hours Cool Pack; Pebble Blue; Dimensions (W- 57cm, L- 59cm, H- 57cm) Disclaimer: additional 2cm for the uploaded dimension of (LXWXH) for the box and bubble wrap.; Package Weight 54.77kg; No defrosting . UNDER SINK WATER HEATER, 15L capacity, 3kW power rating, 240V Supply Voltage, +70°C Maximum Operating Temperature. WATER DISPENSER, Bottom Load Water Dispenser Fast Heating (85-90 degrees, Extra cold water (3-8 degreses), Durable and sanitary stainless steel water tanks for hot and cold, Net weight: 15.8 kg, Gross weight (packed): 17.8 kg, Net Dimensions (W x H x D): 310mm x 1040mm x 360mm, Gross	X 255 X 357mm; Outside (WXHXD): 517 x 297.3 x 425.3mm; Shipping (WXHXD): 573 x 365 x 469mm; Weight (Net): 15.9kg; Weight (Shipping): 17.5kg; Loading Quantity (20/40ft): 288/600. REFRIGERATOR, Digital Inverter Compressor; Adaptive Defrost Control; Easy Slide-out Shelf; Moist Fresh Zone; 12 hours Cool Pack; Pebble Blue; Dimensions (W- 57cm, L- 59cm, H- 57cm) Disclaimer: additional 2cm for the uploaded dimension of (LXWXH) for the box and bubble wrap.; Package Weight 54.77kg; No defrosting . UNDER SINK WATER HEATER, 15L capacity, 3kW power rating, 240V Supply Voltage, +70°C Maximum Operating Temperature. WATER DISPENSER, Bottom Load Water Dispenser Fast Heating (85-90 degrees, Extra cold water (3-8 degreses), Durable and sanitary stainless steel water tanks for hot and cold, Net weight: 15.8 kg, Gross weight (packed): 17.8 kg, Net Dimensions (W x H x D): 310mm x 1040mm x 360mm, Gross

Warranty :	-		
The above-quoted price is inc	lusive of all costs ar	nd applicable taxes	
Very truly yours,		• •	
AUTHORIZED REPRESENTA	ATIVE:		
Signature :			
Printed Name			
Date :	<u> </u>		
Company Name Registered	:		
E-mail Address	:		
Contact no.			
BANK DETAILS:			
Bank Name :			
Bank Address :			
Bank Account Name			
Bank Account Number	•		
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 2 of 2





Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

11809383

Procuring Entity

TARLAC STATE UNIVERSITY

tsucanvassing@gmail.com

Title

Appliances and Devices

Area of Delivery

Tarlac

Solicitation Number:	103-2025	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Appliances		
Approved Budget for the Contract:	PHP 205,000.00		
Delivery Period:	30 Day/s	Document Request List	O
Client Agency:	, -		
_		Date Published	26/02/2025
Contact Person:	Tutchie Panlilio Clerk		
	TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac	Last Updated / Time	25/02/2025 15:36 PM
	Philippines 2300 63-045-6068142	Closing Date / Time	05/03/2025 13:00 PM

Description

APP 1st Quarter 2025 Line Items

Item No.	Product/Service Name	Description	Quantity	иом	Budget (PHP)
1	MICROWAVE OVEN	Oven Capacity 30L (1.0 Cu.ft); Control Method Touch; Door Type Side Swing with Handle; Cavity Material Ceramic Enamel; Turntable Size: 318 mm; Display Type: LED (White); Power Source 230V / 60Hz; Power Source: 230V / 60Hz; Output Power (Microwave) 90	2	Unit	30,000.00
2	REFRIGERATOR	Digital Inverter Compressor; Adaptive Defrost Control; Easy Slide-out Shelf; Moist Fresh Zone; 12 hours Cool Pack; Pebble Blue; Dimensions (W- 57cm, L- 59cm, H- 57cm) Disclaimer: additional 2cm for the uploaded dimension of (LXWXH) for the box and	1	Unit	40,000.00
3	UNDER SINK WATER HEATER	15L capacity, 3kW power rating, 240V Supply Voltage, +70℃ Maximum Operating Temperature.	3	Unit	105,000.00
4	WATER DISPENSER	Bottom Load Water Dispenser Fast Heating (85-90 degrees, Extra cold water (3-8 degreses), Durable and sanitary stainless steel water tanks for hot and cold, Net weight: 15.8 kg, Gross weight (packed): 17.8 kg, Net Dimensions (W x H x D): 310mm x 104	2	Unit	30,000.00

Other Information

The bidders must download the attached documents in the associated component section. To be acquired as a line