REQUEST FOR QUOTATION (RFQ) No. 169-2023



Head, Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

Purchase Request No.		DESCRIPTION/PAR	RTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2023-01-013 (C	ASS)	VARIOUS AUDIO VISUA ACCESSOR		597,272.00
Purpose: Audio Visual		Supply Delivery and Installation		
Philgeps Posting:	Active Date	e: 3 14 13 14 15 15 15 15 15 15 15	Category: Reference	AUDIO & VLIVIL No.: 9578574
	Current Ma	d to submit the following de lyor's / Business Permit egistration	Latest Inco	ome / Business Tax Return Sworn Statement if applicable
2. Bid Val3. Deliver4. Warrar	y Schedule: lidity: 2 y Site: Supr (045) nty shall be	calendar days from $\frac{30}{0}$ calendar days from c	n submission of bid ent Unit, Tarlac Sta 5 ree (3) months of e	ds ate University expendable supplies, or a
		e to the bidder with the low ical specifications and othe	•	-
Any alteration, erasu or his/her duly author		rwriting shall be valid only sentative.	if they are signed o	r initialed by the bidder
later than 3/23/2	at the ay be done	e Quotation Form (Attachn Procurement Unit, Admin manually or through email	Building Tarlac Sta	te University, Tarlac City.
portion for every da	y of delay. (act price, the	one tenth (1/10) of one (1 Once the cumulative amou e procuring entity shall res open to it.	nt of liquidated dan	nages reaches ten (10%)
	ice with Sec	eject any and all bids, decla tion 41 of R.A 9184 and its 		-

BOUT.

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 5

Date:	3/15/2023
RFQ No.	169-2023
PR No.	2023-01-013 (CASS)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	pcs	Web Cam, 4k Al-powered PTZ Max video resolution: 1080p/30 fps, MJPEG, H264, supported resolutions: 1920x1080, 1280x720, 960x540, 640x360, built-in audio: gimbal, Windows® 10 or later, Windows 8, windows 7 macOS® 10.13 or later, 01 lens camera indicator, microphone, DC power port, USB type-c port, UNC 1/4-20, magnetic base	3		
2	unit	Digital Audio Mixer, 40-input, 25-total-bus digital mixer. 16 mix buses, main LCR, 6 matrix buses. Gain-programmable Midas-designed mic preampsdeliver enchanced dynamic range and superior commoc mode rejection ration (CMRR). Highly configurable, with up to 40 processing channels and 25 motorized faders. USB flash connection allowing uncompressed recordings, storing show presents, and enabling system updates. Independent matrix mix buses with inserts, 6-band parametric EQ and dynamics processing. Powerful scene management for easy handling of complex productions. X-USB recording interface card included. 48-channel digitla snake ready.	1		

mix t proce of.co	courses with inserts, 6-band parame essing. Powerful scene manageme emplex productions. X-USB recordi ded. 48-channel digitla snake reac	tric EQ and dynamics ent for easy handling ing interface card	
Warranty	:		
The above-quoted price	is inclusive of all costs ar	nd applicable taxes	
Very truly yours,			
AUTHORIZED REPRES	ENTATIVE:		
Signature	:		
Printed Name	;		
Date			
Company Name Registe			
E-mail Address			
Contact no.	•		
BANK DETAILS:			
Bank Name	·		
Bank Address			
Bank Account Name	:		
Bank Account Number			
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 2 of 5

Date:	3/15/2023
RFQ No.	169-2023
PR No.	2023-01-013 (CASS)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
3	pcs	Headphones, profrssional monitor headphones type closed back dynamic driver diamter: 45mm, Frequency response: 5-40,000 Hz, Maximum Input Power: 2,000 mW at KHz, Sensitivity: 97dB, Impedance: 35 ohms, Weight: 280g (9.9 oz) w/out cable and connector cable, Interchangeable cable: detachable 1.2m - 3.0m (3.9' - 9.8') coiled cable, detachable 3.0m (9.8') straight cable and detachable 1.2m (3.9') straight cable, Cable: detachable: yes, Connector gold-plated stereo 1/8" (3.5mm) connector with strain relief, Magnet neodynium, Voice Coil CCAW (copper clad-aluminum wire), Folding/collapsible: Yes, Accessories included carrying case, 6.3mm (1/4") screw-on adapter	7		
4	pcs	Microphone, professional broadcast microphone RE20 black mic, 309A shockmount, BSW (broadcasting microphone cable & REPop black filter(package), Microphone response: 45Hz - 18KHz, Microphone Impedance: 150 ohms balance, Microphone diameter: body: 49.2mm, Widest: 54.4mm, Microphone connector: 3-pin XLR, Microphone sensitivity: 1.5mV/pasca, 216.7mm L, Physical weight: 373g (1lb, 10 oz), 309A suspension shock mount for RE20, BSW REPOP pop filter, BMC 20 cable - 20ft XLR cable	4		

		cable - 20ft XLR cable	BOVV NEP OF POP		
		<u> </u>			
Warranty	:				
The above-quoted p	rice is inclu	usive of all costs ar	nd applicable taxe	s	
Very truly yours,					
AUTHORIZED REPI	RESENTA	TIVE:			
Signature Printed Name Date Company Name Reg E-mail Address Contact no.	: : gistered :				
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Numb					
Form No.: TSU-PRO-SF-06		Revision No.: 06	Effectivity Date: I	March 5, 2020	Page 3 of 5

Date:	3/15/2023
RFQ No.	169-2023
PR No.	2023-01-013 (CASS)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
5	pcs	Mic Lifter, mic level booster channels: 1, inputs: 1 x XLR, output: 1 x XLR, height: 2", width: 2", depth: 4.5", weight: 0.85lbs.	4		
6	pcs	Luxury Professional Broadcast Outrigger Gimbals Suspension Boom Scissor Arm Stand Holder, rod leght: 36cm, under the rod leght: 33cm, rated hanging load: 2kg, maximum hanging load: 2.30kg	4		
7	pcs	Cassette Tape and CD Player w/ Radio, AM/PM radio, casette and CD w/ MP3 playback, 30 radio presents w/ three one-touch favorites, automatic shut-off sleep timer, full-range 2x1.7w stereo RMS output w/ mega bass play CD-R/RW and MP3 CDs w/ shuffle and program funtions, Audio-in jack for connecting MP3 player, built-in cassette tape deck w/ recording function, FM/AM tuner w/ 30 digital presents and 3 one-touch favorites	2		
8	pcs	Audio and Microphone Cable, 100M double shield, 3 conductors, good copper screen or ground w/ cotton shield, stereo	1		

		w/ recording t and 3 one-tou	unction, FM/AM tuner was sch favorites	/ 30 digital presents		
8	pcs		Microphone Cable good copper screen or		1	
				· -		
Warranty		:				
The above	-quoted pi	rice is inclu	sive of all costs a	nd applicable tax	es	
Very truly	yours,					
AUTHORI	ZED REP	RESENTA	TIVE:			
Signature Printed Na Date Company E-mail Ad Contact no	Name Reg	istered :				
BANK DE Bank Nam Bank Addi Bank Acco Bank Acco	ess ount Name					
Form No.: TSI	J-PRO-SF-06		Revision No.: 06	Effectivity Date:	March 5, 2020	Page 4 of 5

Date:	3/15/2023		
RFQ No.	169-2023		
PR No.	2023-01-013 (CASS)		

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
9	set	XLR Adapter, male and female, 20pcs per pair, PL55 stereo 10pcs, PL55 mono 10pcs	1		
10	unit	5-inch-2-Way Powered Studio Monitor, pair speaker LF driver size, 127mm (5"), HF DriverSize 25mm (1"), HF driver type soft dome crossover, 1725Hz 4th order acoustic linkwitz-riley power configuration, Bi-amplified, HF driver power Amp, 41W class D, LF driver power Amp, 41 W class D, frequesncy response 49Hz-20kHz (±3dB), frequency range 43Hz-20kHz (-10dB), maximum continuous SPL94db, maximum peak SPL108dB, maximum peak input level +6dBv / +20.3dBu (-10dBV / +4dBu), System distortion criteria <10%TDH @ maximum output full compressor / limiter engagement, Electrical distortion criteria 0.2% TDH @ 1kHz / 2.83VRMS output; <1% TDH @ 1kHz, full rated output, signal to noise ratio, 75dBA (A-weighted), 70dBr (unweighted), relative to 2.83 VRMS output converge pattern, 120° x 90° (horizontal x vertical), HF Trim Control, -2dB, 0dB, +2dB, boundary EQ, LFshelf @ 50HzAC input voltage, 100-240VAC (±10%), 50 / 60Hz	1		

			·			
		** **	 .			
Warranty	: _					
The above-quoted price	is inclus	sive of all costs a	nd applicable tax	es		
Very truly yours,						
AUTHORIZED REPRES	SENTAT	IVE:				
Signature Printed Name Date Company Name Registe E-mail Address Contact no.	ered	-				
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number	: -		•			
Form No.: TSU-PRO-SF-06	li	Revision No.: 06	Effectivity Date:	March 5, 2020	- ""	Page 5 of 5



Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

9578574

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Various Audio Visual Equipment and Accessories

Area of Delivery

Tarlac

Solicitation Number:	169-2023	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Audio and Visual Equipment		
Approved Budget for the Contract:	PHP 597,272.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	17/03/2023
Contact Person:	Elena May T. Teofilo	Last Updated / Time	16/03/2023 13:55 PM
	Unit Head Romulo Blvd. Tarlac City Tarlac		- -, ,
	Philippines 2300 63-2-092058494963	Closing Date / Time	23/03/2023 13:00 PM
	may at 34@yahoo.com		

Description

for CASS use **Line Items**

Line Items					
Item No.	Product/Service Name	Description	Quantity.	uoM.	Budget (PHP)
1	Web Cam	4k AI-powered PTZ Max video resolution: 1080p/30 fps, MJPEG, H264, supported resolutions: 1920x1080, 1280x720, 960x540, 640x360, built-in audio: gimbal, Windows® 10 or later, Windows 8, windows 7 macOS® 10.13 or later, 01 lens camera indicator, micr	3	Piece	52,000.00
2	Digital Audio Mixer	40-input, 25-total-bus digital mixer. 16 mix buses, main LCR, 6 matrix buses. Gain-programmable Midas-designed mic preampsdeliver enchanced dynamic range and superior commoc mode rejection ration (CMRR). Highly configurable, with up to 40 processing	1	Unit	150,000.00
3	Headphones,	profrssional monitor headphones type closed back dynamic driver diamter: 45mm, Frequency response: 5-40,000 Hz, Maximum Input Power: 2,000 mW at KHz, Sensitivity: 97dB, Impedance: 35 ohms, Weight: 280g (9.9 oz) w/out cable and connector cable, Interc	7	Piece	132,566.00
4	Microphone	professional broadcast microphone RE20 black mic, 309A shockmount, BSW (broadcasting microphone cable & REPop black filter(package), Microphone response: 45Hz - 18KHz, Microphone Impedance: 150 ohms balance, Microphone diameter: body: 49.2mm, Widest:	4	Piece	148,448.00

5	Mic Lifter	mic level booster channels: 1, inputs: 1 x XLR, output: 1 x XLR, height: 2", width: 2", depth: 4.5", weight: 0.85lbs.	4	Piece	50,000.00
6	Luxury Professional Broadcast Outrigger Gimbals Su	rod leght: 36cm, under the rod leght: 33cm, rated hanging load: 2kg, maximum hanging load: 2.30kg	4	Piece	24,492.00
7	Cassette Tape and CD Player w/ Radio	AM/PM radio, casette and CD w/ MP3 playback, 30 radio presents w/ three one-touch favorites, automatic shut-off sleep timer, full-range 2x1.7w stereo RMS output w/ mega bass play CD-R/RW and MP3 CDs w/ shuffle and program funtions, Audio-in jack for	2	Piece	7,016.00
8	Audio and Microphone Cable	100M double shield, 3 conductors, good copper screen or ground w/ cotton shield, stereo	1	Piece	7,750.00
9	XLR Adapter	male and female, 20pcs per pair, PL55 stereo 10pcs, PL55 mono 10pcs	1	Set	5,000.00
10	5-inch-2-Way Powered Studio Monitor	pair speaker LF driver size, 127mm (5"), HF DriverSize 25mm (1"), HF driver type soft dome crossover, 1725Hz 4th order acoustic linkwitz-riley power configuration, Bi-amplified, HF driver power Amp, 41W class D, LF driver power Amp, 41 W class D, fre	1	Unit	20,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by

Elena May T. Teofilo

Date Created

16/03/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2023 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap