# REQUEST FOR QUOTATION (RFQ) No. 597-2024



The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PAI	DESCRIPTION/PARTICULARS	
2024-07-302 (UBS)	OFFICE EQUI	PMENT	350,000.00
Purpose: for office use.	•		
Philgeps Posting: Active Closi	e Date:           7 24 24           ng Date:         7 3 6 24	Category: Reference	No.: 11 bry 925
• •	quired to submit the following d nt Mayor's / Business Permit ps Registration	Latest Incomplete Committees	ome / Business Tax Return Sworn Statement if applicable
4. Warranty sha	calendar de la calendar de la calendar de la calendar days fro Supply and Property Managen (045) 606-8159 / (045) 982-260 de la calendar de l	nent Unit, Tarlac Sta 05 nree (3) months of e	ate University expendable supplies, or a
	made to the bidder with the low technical specifications and oth	•	-
Any alteration, erasures, o or his/her duly authorized	r overwriting shall be valid only representative.	if they are signed of	or initialed by the bidder
than <u>7/30/24</u> at the	Price Quotation Form (Attachn Procurement Unit, Admin Build done manually or through emai	ding Tarlac State Ur	niversity, Tarlac City.
	ries is one tenth (1/10) of one ( elay. Once the cumulative amou		

portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

ELEMANAY T. TEOFILO
Head, Procurement Unit

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 4

### **PRICE QUOTATION**

Date:	7/23/2024
RFQ No.	597-2024
PR No.	2024-07-302 (UBS)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

Bank Address

Bank Account Name Bank Account Number

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

PHOTOCOPIER 3-in-1, SCANNER AND PRINTING MACHINE 3-in-1 photocopier, scanner & printing machine Functions: Copy, Print, Scan, Fax Operation panel: 10.1" Smart Operation Panel Warm-up time: 60 seconds First output speed: B/W: 2.9 seconds, Continuous output speed: 90 ppm CPU: Intel® Apollo Lake Processor 1.6 GHz Memory: 2GB standard/maximum HDD:320GB standard/Maximum . Weight (Mainframe): 200kg or less Dimensions (W x D x H): Standard: 690 x 883 x 1,161mm Power source: 220 - 240V,		
SO/60Hz  Multiple copying: Up to 999 copies Resolution:600 x 600 dpi Zoom:From 25% to 400% in 1% steps  PRINTER  Printer language:Standard: PCL5e, PCL6, PostScript3 (Emulation), PDF Direct (Emulation)  Option: XPS, Genuine Adobe® PostScript®3™, IPDS, PDF Direct from Adobe® Print resolution:Maximum:1,200 x 1,200 dpi Network interface:Standard: Ethernet 10 base- T/100 base-TX/1000 base-T, USB Host Type A, USB Device I/F Type B, Bluetooth®, Wireless LAN (IEEE 802.11 b/g/n)®, USB Host I/F, SD slot, NFC tag®, USB Device (TypeB:1Port)® Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), RJ45 I/F (Only Copy connect), Ethernet Print only RJ-45 network port Windows® environments:Windows® 7/8.1/10, Windows® Server 2008/2008R2/2012/2012R2/2016, Windows® Server 2019 Mac OS environments:Macintosh OS X v10.12 or later UNIX environments: UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX, XenDesktop, Citrix XenApp 7.15 or later, LTSR, Citrix XenVirtualApps/XenDesktop 7 1808 and later SAP® environments: SAP® R/3®, SAP® S/4®	1	

Warranty	:
The above-quoted price is in Very truly yours,	clusive of all costs and applicable taxes
AUTHORIZED REPRESENT	TATIVE:
Signature	:
Printed Name	;
Date	:
Company Name Registered	: <u></u>
E-mail Address	:
Contact no.	:
BANK DETAILS:	
Bank Name	:

Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 2 of 4

# PRICE QUOTATION

Date:	7/23/2024
RFQ No.	597-2024
PR No.	2024-07-302 (UBS)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
	_	SCANNER			<u> </u>
		Scanning speed: B/W 120ipm (Simplex) / 240ipm Duplex) Scanning			
į.		speed: Full Colour		]	
		120ipm (Simplex) / 240ipm (Duplex) Resolution 600dpi maximum			1
1		Compression method TIFF (MH, MR, MMR, JBIG2), Grayscale, JPEG (Colour) File formats			
		Single Page TIFF,			1
1		Single page JPEG, Single page PDF, Single page High compression		Ì	
		PDF, Single page		ļ	
		PDF/A, Multi page TIFF, Multi page PDF, Multi page High			
		compression PDF, Multi page			
į.		PDF/A Scan modes E-mail, Folder, USB, SD Card, URL, FTP, SMB			
		FACSIMILE			l .
ļ		Circuit PSTN, PBX Transmission speed G3: approximately 2 seconds	i		
		(200 x 100 dpi, JBIG, ITUT			
l		#1 chart TTl off, memory transmission), G3: approximately 3	1	1	
		seconds (200 x 100 dpi, MMR,			
h h		ITUT #1 chart TTI off, memory transmission) Modem speed 33.6	1	]	
		Kbps maximum Resolution Standard mode: 8 x 3.85 line/mm, 200 x 100 dpi Detail mode: 8 x	Į.	1	1
•		7.7 line/mm, 200 x 200 dpi			
		Super fine mode:8 x 15.4 line/mm, 16 x 15.4 line/mm, 400 x 400	1		1
i		dpi (with optional SAF memory)			
		Compression method MH, MR, MMR, JBIG SAF memory size	1	1	
		Standard: 4MB Maximum: 60MB			
		SECURITY		1	
		Features Windows Authentication, LDAP Authentication, Basic			
		Authentication, User Code	1	1	
		Authentication, 802.1.x Wired Authentication			
					1

Warranty :		<del></del>
The above-quoted price is inc Very truly yours, AUTHORIZED REPRESENTA		nd applicable taxes
Signature		
Printed Name		
Date :		<u> </u>
Company Name Registered		
E-mail Address		
Contact no.	·	
BANK DETAILS:		
Bank Name	:	
Bank Address	: <u>-                                     </u>	
Bank Account Name	:	
Bank Account Number	:	
S No . TOU DDO SE 06	Revision No.: 06	Effectivity Date: March 5, 2020

TOUR DOO SE OF	Revision No.: 06	Effectivity Date: March 5, 2020	Page 3 of 4
Form No.: TSU-PRO-SF-06	TACTIOISTI TO TO		

#### **PRICE QUOTATION**

Date:	7/23/2024
RFQ No.	597-2024
PR No.	2024-07-302 (UBS)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
_		PAPER HANDLING Recommended paper size A3, A4, A5, A6, B4, B5, B6 Paper input			
		capacity Standard: 4,300			
1		sheets (Including bypass 100 sheets) Maximum: 8,700 sheets			
		(including bypass 100 sheets)			
ļ		Paper output capacity Standard: 500 sheets Maximum: 3,500 sheets		ļ	
		Paper weight, Standard			
		Tray: 52 - 256g/m², Bypass: 52 - 300g/m², Duplex: 64 - 256g/m² Paper types Plain Paper,	:		
		Recycle Paper Colour 1-2, Special Paper, Letterhead, Bond Paper, Label	1		
i		Paper, Trace Paper .			
		ECOLOGY	ŀ	i	
		Power consumption: Maximum : 2,100W or less Power consumption: Ready mode 254W			
		Power consumption: Sleep mode: 0.55W TEC value: 1.870 kWh			
		INPUT / OUTPUT TRAY AND FINISHER OPTIONS	ļ		
İ		3,000-sheet Finisher (SR4150), 3,000-sheet Finisher with 100-sheet Staples (SR4140), 2,000		]	
		-sheet Booklet Finisher (SR4160), A3 tray, 4000 sheets LCIT (RT4080), LG/B4 Tray, Cover			
,		Interposer (CI4040), Copy Tray, 9-Bin Mailbox (CS4010), Output Jogger			
		Unit, Multi-Folding	ļ		
Ì		Units, Punch Units (2023)Functions:Copy, Print, Scan, Fax Operation			
		panel: 10.1" Smart			
		Operation Panel Warm-up time: 60 seconds First output speed: B/W:			
		2.9 seconds Continuous		1	
ļ l		output speed: 90 ppm CPU: Intel® Apollo Lake Processor 1.6 GHz Memory: 2GB standard/ maximum HDD: 320GB standard/maximum			
] l	ı	Weight (Mainframe): 200kg or less Dimensions (W x D x H): Standard:	ŀ	1	
		690 x 883 x 1,161mm Power source: 220 - 240V, 50/60Hz			
<b>Y</b>					

		l	
181			
Warranty :		<del></del>	
The above-quoted price is incl	usive of all costs an	d applicable taxes	
Very truly yours,			
<b>20.7</b> a.a., <b>7</b> a.a.,			
AUTHORIZED REPRESENTA	TIVE:		
Signature :			
Printed Name			
Date :			
Company Name Registered	: <u></u>		
E-mail Address	:		
Contact no.			
BANK DETAILS:			
Bank Name :			
Bank Address :			
Bank Account Name	·		
Bank Account Number	:		
Form No : TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 4 of 4





Central Portal for Philippine Government Procurement Oppurtunities

#### **Bid Notice Abstract**

## Request for Quotation (RFQ)

Reference Number

11078925

**Procuring Entity** 

TARLAC STATE UNIVERSITY

Title

Office Equipment

Area of Delivery

Tarlac

Solicitation Number:	597-2024	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Office Equipment		
Approved Budget for the Contract:	PHP 350,000.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:			
		Date Published	24/07/2024
Contact Person:	Tutchie Panlilio Clerk		
	TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac	Last Updated / Time	23/07/2024 10:30 AM
	Philippines 2300 63-045-6068142	Closing Date / Time	30/07/2024 13:00 PM
	tsucanvassing@gmail.com		

#### Description

for office use

Item No.	Product/Service Name	Description	Quantity	иом	Budget (PHP)
1	PHOTOCOPIER 3-in- 1,SCANNER AND PRINTING MACHINE	3-in-1 photocopier, scanner & printing machine Functions: Copy, Print, Scan, Fax Operation panel: 10.1" Smart Operation Panel Warm-up time: 60 seconds First output speed: B/W: 2.9 seconds, Continuous output speed: 90 ppm CPU: Intel® Apollo Lake Proce	1	Unit	350,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by

Tutchie Panlilio

**Date Created** 

23/07/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap