REQUEST FOR QUOTATION (RFQ) No. 704-2023



Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

APPROVED BUDGET FOR

Purchase Request No.	DESCRIPTION/PARTICUL	ARS	THE CONTRACT (ABC) inclusive of VAT
2023-09-352 (OURD)	VARIOUS LABORATORY EQU	IPMENT	170,000.00
Species Found in Selected Forest Areas of	esearch proposal entitled "Phase 1: Assessme San Jose Tarlac Phase: 2 Phytochemical Sci as of San Jose Tarlac. Geraldine R.Gamoso i	reening and Antimid	ļ.
Philgeps Posting: Active Date Closing Date	e: 10 12 22 ite: 10 15 15	Category: <u>L</u> Reference N	102/34/2
Interested suppliers are required Valid and Current Ma Proof of PhilGeps Re		Latest Incon	ne / Business Tax Return vorn Statement applicable
3. Delivery Site: Supp (045) 4. Warranty shall be t	calendar days from the color of the calendar days from submoly and Property Management Un 606-8159 / (045) 982-2605 for a period minimum of three (3) fter acceptance by the procuring	it, Tarlac State	e University pendable supplies, or a

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than \(\frac{10}{10}\) \(\frac{10}{12}\) at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at \(\text{tsucanvassing@gmail.com}\)

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

ELENA MAN T. TEOFILO (Head, Procurement Unit

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 4

PRICE QUOTATION

Date:	10/10/2023		
RFQ No.	704-2023		
PR No.	2023-09-352 (OURD)		

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

PIPETTOR, 8 CHANNELS MECHANICAL PIPETTOR (30-300 ul) - increment 0.20 ul; - Systematic Error for test volumes 30ul needs 0.75ul, 150 ul needs 1.50ul and 300ul needs 1.80ul; Descriptions: - Easy volume adjustment with click stop system; - Large display for easy reading of volume - For both right- and left-handed users; - Color coded for easy matching of fitting tips; - Materials have high chemical and UV- resistance to secure long life-time of the pipette; - Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; - Safecone filters available for models above 10µl for extra protection when using non-filtered tips; - With light tip		ONIT PRICE	TOTAL PRICE
ejector; - Fully autoclavable without the need for disassembly; - Superior Ergonomics - designed handle and finger hook; - Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; - Pipetting force of 15N to avoid Repetitive Strain Injury (RSI); - With click stop as volume locking; - Length 239 mm; - Weight of 82 grams -; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer	1		

1	e of Distributorship from M	1anufacturer	
Warranty	:		
The above-quoted price is in	nclusive of all costs a	and applicable taxes	
Very truly yours,			
AUTHORIZED REPRESEN	TATIVE:		
Signature Printed Name Date Company Name Registered E-mail Address Contact no.			
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 2 of 4

Page 3 of 4

PRICE QUOTATION

Date:	10/10/2023	
RFQ No.	704-2023	
PR No.	2023-09-352 (OURD)	

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO. UNI	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
65 unit	PIPETTOR, SINGLE CHANNEL MECHANICAL PIPETTOR (10 to 100ul) - increment 0.10 ul; - Systematic Error for test volume: 10ul needs 0.30ul, 50 ul needs 0.50ul and 100ul needs 0.80ul; Descriptions: - Easy volume adjustment with click stop system; - Large display for easy reading of volume - For both right- and left-handed users; - Color coded for easy matching of fitting tips; - Materials have high chemical and UV- resistance to secure long life time of the pipette; - Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; - Safe-cone filters available for models above 10µl for extra protection when using non-filtered tips; - With light tip ejector; - Fully autoclavable without the need for disassembly; - Superior Ergonomics - designed handle and finger hook; - Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; - Pipetting force of 15N to avoid Repetitive Strain Injury (RSI); - Witl click stop as volume locking; - Length 239 mm; - Weight of 82 grams; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer	1		

Warranty			
The above-quoted price is inc	lusive of all costs a	and applicable taxes	
Very truly yours,			
AUTHORIZED REPRESENTA	ATIVE:		
Signature : Printed Name : Date :			
Company Name Registered E-mail Address Contact no.	:		
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 3 of 4

PRICE QUOTATION

Date:	10/10/2023			
RFQ No.	704-2023			
PR No.	2023-09-352 (OURD)			

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
66	pack	PIPETTE TIPS (350 ul tips) 1 BOX TIPS IN A RACK - Dimensions WxDxH: 430 × 135 × 205 mm; Length: 54 mm; Length Range: 54 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, RNase, ATP and endotoxins; Volume: 350 µL	2		
68	pack	PIPETTE TIPS (200 ul tips) 1 BOX TIPS IN A RACK- Dimensions WxDxH: 430 × 125 × 135 mm; Length: 51 mm; Length Range: 51 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, RNase, ATP and endotoxins; Volume: 200 µL	2		
70	unit	LABORATORY BLENDER - Specifications: Two-speed, push-button operation; Base: die-cast, epoxy-coated motor housing 1-liter, stainless steel container with handle and two-piece vinyl and styrene lid; 0.5 HP motor; Power 230V, 50 Hz; Approved CE, RoHS; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer"	1		

Warranty :			
The above-quoted price is incl Very truly yours,	usive of all costs a	and applicable taxes	
AUTHORIZED REPRESENTA	TIVE:		
Signature :			
Printed Name :			
Date :			
Company Name Registered			
E-mail Address			
Contact no. :			
BANK DETAILS:			
Bank Name :			
Bank Address :			
Bank Account Name :	<u>.</u>		
Bank Account Number :			
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 4 of 4





Central Portal for Philippine Government Procurement Oppurtunities

Pending

Bid Notice Abstract

Request for Quotation (RFQ)

Status

Reference Number

10213412

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Various Laboratory Equipment

Area of Delivery

Solicitation Number:

Tarlac

704-2023

		Implementing Regulations	Rules and				
Procurement M	lode:	Negotiated Pro Small Value Pro (Sec. 53.9)		Associated Component	ts		3
Classification: Goods		Goods		Bid Supplements			(
Category:		Laboratory Su Equipment	ipplies and	bid Supplements			
Approved Budghe Contract:	get for	PHP 170,000	.00	Document Request Lis	t	<u> </u>	(
Delivery Perio	d:	30 Day/s					
Client Agency:				Date Published		<u> </u>	12/10/202
Contact Perso	n:	Tutchie Panlili Clerk TSU, Romulo Vicente, Tarla Philippines Tarlac City	Blvd. San	Last Updated / Time		11/10	0/2023 11:25 A
		Tarlac Philippines 23 63-2-092058		Closing Date / Time		16/10	0/2023 13:00 P
		elenamayteol	filo73@gmail.co	m			
for Research us Line Items	e			,	g A		
	PIPETTO CHANNE MECHAN	LS	for test volume ul needs 1.50u 1.80ul; Descrip adjustment wit Large display f	oul; - Systematic Error es 30ul needs 0.75ul, 150 I and 300ul needs otions: - Easy volume th click stop system; - or easy reading of	1 1	Unit	50,000.00
Line Items	PIPETTO CHANNE MECHAN PIPETTO	ILS IICAL R (30-300 u PR, SINGLE IL IICAL	for test volume ul needs 1.50u 1.80ul; Descrip adjustment wit Large display f volume - For b increment 0.10 for test volume ul needs 0.50u 0.80ul; Descrip adjustment wit Large display f	ul; - Systematic Error s 30ul needs 0.75ul, 150 I and 300ul needs otions: - Easy volume th click stop system; -	1	Unit	50,000.00 20,000.00
Line Items	PIPETTO CHANNE MECHAN PIPETTO CHANNE MECHAN PIPETTO	ELS IICAL IR (30-300 u OR, SINGLE EL IICAL OR (10 t E TIPS (350 ul BOX TIPS IN	for test volume ul needs 1.50u 1.80ul; Descrip adjustment wit Large display f volume - For b increment 0.10 for test volume ul needs 0.50u 0.80ul; Descrip adjustment wit Large display f volume - For b Dimensions W mm; Length: 154 mm; Exten Bore: No; Paci Single Tray; Ti Delivery Condi	oul; - Systematic Error as 30ul needs 0.75ul, 150 I and 300ul needs otions: - Easy volume th click stop system; - or easy reading of oth right- and I oul; - Systematic Error as 10ul needs 0.30ul, 50 II and 100ul needs otions: - Easy volume th click stop system; - for easy reading of	1		

	Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, R			
5 LABORATORY BLENDER	Specifications: Two-speed, push-button operation; Base: die-cast, epoxy-coated motor housing 1-liter, stainless steel container with handle and two-piece vinyl and styrene lid; 0.5 HP motor; Power 230V, 50 Hz; Approved CE, RoHS; Installation and Com	1	Unit	80,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by

Tutchie Panlilio

Date Created

11/10/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2023 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap