REQUEST FOR QUOTATION (RFQ) No. 486-2

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an Alternative Method of Procurement through Negotiated Procurement for the items stated below, in accordance with Section 53.9 Small Value Procurement of the Revised

implementing Rules and Regu	lations of Republic Act. No. 9184.		
The TSU hereinafter referred t subject below:	o as "the Buyer", now requests sub	mission of	a price quotation for the
Purchase Request No.	DESCRIPTION/PARTICULA	DESCRIPTION/PARTICULARS	
2022-09-271 (PROC)	VARIOUS LABORATORY GLASS SUPPLIES	WARE &	764,600.00
Purpose: for APP 2022 1st Quarte	er.		<u> </u>
Philgeps Posting: Active Da Closing D	ite: _ \(\gamma \cdot \delta \cdot \d	Category: Reference	Caborables Juppher L
	egistration	Latest Inco Omnibus S	ome / Business Tax Return Sworn Statement if applicable
TSU Condition of Sale:			
	e:calendar days from		
	calendar days from submis		
	pply and Property Management Unit,) 606-8159 / (045) 982-2605	Tarlac Sta	ate University
	for a period minimum of three (3) n after acceptance by the procuring e		
	le to the bidder with the lowest quota nical specifications and other terms		
Any alteration, erasures, or ove or his/her duly authorized repre	erwriting shall be valid only if they ar esentative.	e signed o	r initialed by the bidder
Submission of duly signed Price	e Quotation Form (Attachment 1-6)	and eligibi	lity documents is not later

than <u>すっぱっぺい</u> at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at tsucanvassing@gmail.com / julietelaineacuna@yahoo.com / javy_carlos@yahoo.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

4/20/22 FLENA MAY T. TEOFILO Head, Procurement Unit Form No . TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 7

Date:	9/20/2022
RFQ No.	486-2022
PR No.	2022-09-271 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1 unit		AERATOR, for BOD Analysis. For dilution water and seed inoculum.	2		
2	unit	AUTOMATIC SELF-ZEROING BURETTE, is mounted on a glass bottle with 2L capacity. Includes a PTFE needle valve stopcock, intermediate stopcock and rubber bellows. Class A, ASTM E-284, meets USP standards, individually serialized and certified. Includes Schellbach backing for easy reading of liquid levels. with amber graduations. Manufactured from precision bore tubing and calibrated To Deliver (TD, Ex) on computer-controlled machines. Automatic Burette, Glass, Class A, Individually Certified, 10-25 mL at 0.05mL graduation. For DO and BOD Analysis.			
3	case	BOD BOTTLES, 6.9 cm diameter, height = 16.5 cm, capacity = 300 ml, Available with either glass robotic or pennyhead stoppers. 24 pcs./case.	3		

pe	yhead stoppers. 24 pcs./case.
Warranty	: <u></u>
The above-quoted price	s inclusive of all costs and applicable taxes
Very truly yours,	
AUTHORIZED REPRE	ENTATIVE:
Signature Printed Name Date Company Name Regis E-mail Address Contact no.	red :
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number	
Form No : TSU-PRO-SE-06	Revision No.: 06 Effortivity Date: March 5, 2020

Date:	9/20/2022
RFQ No.	486-2022
PR No.	2022-09-271 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
4	case	BOD CAPS, with foam insert for BOD Bottles, polyethylene cap complete with a closed cell foam insert snaps firmly over the flared mouth bottle preventing evaporation of water seal during 5-day incubation period. Will not absorb or leak water if bottle is filled. 50 pieces/case.	2		
5	set	CASSEROLE, Construction: 18/10 Stainless Steel; Double Disk encapsulated 1 cm thick bottom; 8-piece set includes: One Large Casserole with Lid: 10 quarts Size 11.5 inch diamete. x 6 inch height; One Large Casserole with Lid: 6 quarts Size 10 inch diameter x 5.5 inch height; One Medium Casserole with Lid: 4 quarts Size 8 inch diameter x 4.5 inch height; One Small Casserole with Lid: 2 quarts Size 7 inch diameter x 4 inch height.	9		
6	pack	CULTURE TUBES, with screw caps. Borosilicate type. OD x L = 25 x 150 mm or 22 x 175 mm or 25 x 200 mm. Capacity to Neck: 50 ml. 10 pieces/pack. Total of 20 pieces. For TSU ATL use.	1		

	ATL use.		
Warranty	: <u> </u>		
The above-quoted pr	rice is inclusive of all costs	and applicable taxes	
Very truly yours,			
AUTHORIZED REPR	RESENTATIVE:		
Signature Printed Name Date Company Name Reg	istered		
E-mail Address	•		
Contact no.	:		
BANK DETAILS:			
Bank Name	:		
Bank Address	:		
Bank Account Name			
Bank Account Numbe	er :		
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 3 of 7

 Date:
 9/20/2022

 RFQ No.
 486-2022

 PR No.
 2022-09-271 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
7	unit	DIGITAL CALIPER, • Calipers measure outside diameter, inside diameter, and depth. Ergonomic Design, Traceable®, • Ideal for measuring outside diameter of stoppers, inside diameter of tubing, and depth of vials. • Zero button instantly sets closed jaws or any reference point to zero. • Floating Zero™ may also be set in mid-measurement to read "difference results" without calculations. • Calipers feature ergonomic design and durable hardened stainless steel or composite carbon fiber construction. • Easy-to-read, 0.6 cm (1/4") high, digital readout switches from millimeters to inches at the touch of a button. • Friction thumb roller allows for fast readings. • Depth bar extends from end of instrument and no lubrication is ever required on the slide bar. • Material: Stainless Steel, • Dimensions: 27.9 x 7.6 cm (11 x 3"), • Accuracy: ±0.03 mm (±0.001"), • Measurement Range: 0−20.3 cm (0−8"), • Resolution: 0.01 mm (0.0005"), • Supplied with battery (runs for 10,000 hours).	2		

						
Warranty						
The above-qu	ıoted pri	ce is incl	usive of all costs a	and applicable taxe	es	
Very truly you	ırs,					
AUTHORIZE	O REPR	ESENTA	TIVE:			
Signature Printed Name Date Company Nar E-mail Addre Contact no.	ne Regi	stered				
BANK DETAI Bank Name Bank Address Bank Account Bank Account	Name	; ; ; r ;				
Form No.: TSU-PR	O-SF-06		Revision No.: 06	Effectivity Date: N	March 5, 2020	Page 4 of 7

Date:	9/20/2022
RFQ No.	486-2022
PR No.	2022-09-271 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
piece(s)	DIGITAL WEIGHING SCALE , Capacity: 1kg to 40kg, Precision: 1/3000F.S, AC 220v/110v/110v and built-in Rechargable battery, Stainless steel platform and readable from front and back of unit.	2		
piece(s)	DIGITAL WEIGHING SCALE, Power Supply:110-220V(AC), Display Type:LCD, Size: 315*207*90mm, Platform size: 173*188mm, Units: kg,oz,ct,ozt,dwt,t,g, Material:SS and glass windshield, Capacity: 2kgs, Pan: Stainess Steel	6		
set	FLASK, Rotary Evaporator Accessories. Should be compatible with existing DLAB Pro-100 brand. Including spare round bottom flasks of different capacities with neck size 29/32.	1		
sheet	GLASS WOOL, analytical grade. Comes in sheets 3mm thick x 250 mm wide x 1,300 mm long. Provide SDS of the chemical and certificate of analysis upon delivery. Shelf life should be at least 3 years or longer from date of purchase. After sales provision on certificate of extension of expiry date.	1		
	piece(s)	piece(s) DIGITAL WEIGHING SCALE, Capacity: 1kg to 40kg, Precision: 1/3000F.S, AC 220v/110v/110v and built-in Rechargable battery, Stainless steel platform and readable from front and back of unit. DIGITAL WEIGHING SCALE, Power Supply:110-220V(AC), Display Type:LCD, Size: 315*207*90mm, Platform size: 173*188mm, Units: kg,oz,ct,ozt,dwt,t,g, Material:SS and glass windshield, Capacity: 2kgs, Pan: Stainess Steel FLASK, Rotary Evaporator Accessories. Should be compatible with existing DLAB Pro-100 brand. Including spare round bottom flasks of different capacities with neck size 29/32. GLASS WOOL, analytical grade. Comes in sheets 3mm thick x 250 mm wide x 1,300 mm long. Provide SDS of the chemical and certificate of analysis upon delivery. Shelf life should be at least 3 years or longer from date of purchase. After sales provision on certificate of extension of expiry	DiGITAL WEIGHING SCALE, Capacity: 1kg to 40kg, Precision: 1/3000F.S, AC 220v/110v/110v and built-in Rechargable battery, Stainless steel platform and readable from front and back of unit. DIGITAL WEIGHING SCALE, Power Supply:110-220V(AC), Display Type:LCD, Size: 315*207*90mm, Platform size: 173*188mm, Units: kg,oz,ct,ozt,dwt,t,g, Material:SS and glass windshield, Capacity: 2kgs, Pan: Stainess Steel FLASK, Rotary Evaporator Accessories. Should be compatible with existing DLAB Pro-100 brand. Including spare round bottom flasks of different capacities with neck size 29/32. GLASS WOOL, analytical grade. Comes in sheets 3mm thick x 250 mm wide x 1,300 mm long. Provide SDS of the chemical and certificate of analysis upon delivery. Shelf life should be at least 3 years or longer from date of purchase. After sales provision on certificate of extension of expiry	piece(s) DiGITAL WEIGHING SCALE, Capacity: 1kg to 40kg, Precision: 1/3000F.S, AC 220v/110v/110v and built-in Rechargable battery, Stainless steel platform and readable from front and back of unit. DiGITAL WEIGHING SCALE, Power Supply:110-220V(AC), Display Type:LCD, Size: 315*207*90mm, Platform size: 173*188mm, Units: kg,oz,ct,ozt,dwt,t,g, Material:SS and glass windshieid, Capacity: 2kgs, Pan: Stainess Steel FLASK, Rotary Evaporator Accessories. Should be compatible with existing DLAB Pro-100 brand. Including spare round bottom flasks of different capacities with neck size 29/32. GLASS WOOL, analytical grade. Comes in sheets 3mm thick x 250 mm wide x 1,300 mm long. Provide SDS of the chemical and certificate of analysis upon delivery. Shelf life should be at least 3 years or longer from date of purchase. After sales provision on certificate of extension of expiry

		1	ŀ	
Warranty	:			
The above-quoted price is in:	clusive of all costs a	and applicable taxes		
Very truly yours,				
AUTHORIZED REPRESENT	ATIVE:			
Signature Printed Name Date Company Name Registered E-mail Address Contact no.				
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number				·
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5	2020	Dans 5 of 7

Date:	9/20/2022
RFQ No.	486-2022
PR No.	2022-09-271 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
12	unit	HANDHELD REFRACTOMETER, Type: Bx/Saline	1	<u> </u>	
13	set	KITCHEN KNIFE, Set Includes: Cleaver, Ham, Carver, Steak, Slicer, Boner, Chef's, Bread, Pairing and Tomato Knife; Construction: Stainless steel blade, Slip resistant grip and non absorbent.	5		
14	piece(s)	MEASURING PIPETTE, (BOROSILICATE, 0.1ml CAPACITY), Glass	15		
15	unit	MECHANICAL WEIGHING SCALE; 10 KG X 50 G;, 10 kg x 50 g; Fine Point Indicator; Three Capacities; Removable Stainless Steel Platform; 30° Tilted Dial; Zero Setting Mechanism; 8" Dial; Material: Stainless Steel; Operating Temperatures: 14 °F ~ 104 °F (-10 °C ~ 40 °C); NSF Certified; Calibrated	3		
16	set	MICROSCALE KIT, Williamson Improved Standard	5		
17	unit	PROOFING/PAN RACKS, Stainless Steel Rack; Heavy Duty; With Wheels; 30 Shelves, 2 inches Runner, Spacing; Overall Dimensions: 70 inches High x 20.5 inches Wide x 26 inches Deep; Accommodates 18 inches x 26 inches Pan Size and Proofing Board	2		

	and Prod	ofing Board	ics x 20 menes y an size		
	l				
Warranty		•			
The above	e-quoted price is i	nclusive of all costs a	nd applicable taxes		
Very truly	yours,				
AUTHORI	ZED REPRESEN	TATIVE:			
Signature Printed Na Date Company E-mail Ad Contact no	Name Registered dress	:			
BANK DE		<u> </u>	<u></u>		
Bank Nam	е	:			
Bank Addr					
Bank Acco		:			
Bank Acco	unt Number	:			
Form No.: TSU	I-PRO-SF-06	Revision No.: 06	Effectivity Date: Marc	ch 5, 2020	Page 6 of 7

Date:	9/20/2022			
RFQ No.	486-2022			
PR No.	2022-09-271 (PROC)			

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
18	piece(s)	SEPARATORY FUNNEL, 500 mL. Borosilicate type. Height: 354 mm. Pear shaped (Squibb) type with Teflon stopcock. Clear glass body. Highly chemical resistant and fully autoclavable. High density linear polyethylene stopper with closed bottom included. Accepts stopcock size 4 included.	4		
19	piece(s)	SEPARATORY FUNNEL, Glass Separatory Funnel, 250 mL. Borosilicate type. Height: 311 mm. Pear shaped (Squibb) type with Teflon stopcock. Clear glass body. Highly chemical resistant and fully autoclavable. High density linear polyethylene stopper with closed bottom included. Accepts stopcock size 4 included.	4		
20	set	STORAGE RACK, Laboratory Sample Storage Rack, material: cold rolled steel or galvanized steel, 1.0mm or 1.2 thickness. weight capacity: 100kg per layer, customized: style: can be assembled and disassembled easily, size:2200x450x2000mm, customized. 3 to 4 layers.	1		
21	unit	WORKING TABLES, Stainless Steel: 304; Steel Gauge: 18; Width: 18"; Length: 30"; Height: 34"; Weight: 36.0 lbs	6		

Warranty	:		
The above-quoted price is i	nclusive of all costs a	nd applicable taxes	
Very truly yours,			
AUTHORIZED REPRESEN	ITATIVE:		
Signature Printed Name Date Company Name Registered E-mail Address Contact no.			
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number	:		
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 7 of 7





Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

9042223

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Various Laboratory Glassware & Supplies

Area of Delivery

Tarlac

Solicitation Number:	486-2022	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Laboratory Supplies and Equipment		
Approved Budget for the Contract:	PHP 764,600.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	23/09/2022
	And the second s		
Contact Person:	Juliet Elaine Acuna Canvasser Romulo Blvd. Tarlac City Tarlac	Last Updated / Time	22/09/2022 06:44 AM
	Philippines 2300 63-045-6068157	Closing Date / Time	29/09/2022 13:00 PM
	julietelaineacuna@yahoo.cor	n	

Description

for university use

Line Items

Ben No.	Froducy/Service Name	S everi zena	Quantity	VOM .	Stuga t Vir
1	AERATOR	for BOD Analysis. For dilution water and seed inoculum.	2	Unit	1,000.00
2	AUTOMATIC SELF-ZEROING BURETTE	is mounted on a glass bottle with 2L capacity. Includes a PTFE needle valve stopcock, intermediate stopcock and rubber bellows. Class A, ASTM E-284, meets USP standards, individually serialized and certified. Includes Schellbach backing for easy read	1	Unit	25,000.00
3	BOD BOTTLES	6.9 cm diameter, height = 16.5 cm, capacity = 300 ml, Available with either glass robotic or pennyhead stoppers. 24 pcs./case.	3	Вох	75,000.00
4	BOD CAPS	with foam insert for BOD Bottles, polyethylene cap complete with a closed cell foam insert snaps firmly over the flared mouth bottle preventing evaporation of water seal during 5-day incubation period. Will not absorb or leak water if bottle is fille	2	Box	8,000.00
5	CASSEROLE	Construction: 18/10 Stainless Steel; Double Disk encapsulated 1 cm thick bottom; 8-piece set includes: One Large Casserole with Lid: 10 quarts Size 11.5 inch diameter x 6 inch height; One Large Casserole with Lid: 6 quarts Size 10 inch diameter x	9	Set	135,000.00

3:44 AM		printableBidNoticeAbstrac	ct	•	
6	CULTURE TUBES	with screw caps. Borosilicate type. OD x L = 25 x 150 mm or 22 x 175 mm or 25 x 200 mm. Capacity to Neck: 50 mL. 10 pieces/pack. Total of 20 pieces. For TSU-ATL use.	1	Pack	2,300.00
7	DIGITAL CALIPER	Calipers measure outside diameter, inside diameter, and depth. Ergonomic Design, Traceable®, • Ideal for measuring outside diameter of stoppers, inside diameter of tubing, and depth of vials. • Zero button instantly sets closed jaws or any referenc	2	Unit	20,000.00
8	DIGITAL WEIGHING SCALE	Capacity: 1kg to 40kg, Precision: 1/3000F.S, AC 220v/110v/110v and built-in Rechargable battery, Stainless steel platform and readable from front and back of unit.	2	Piece	5,200.00
9	DIGITAL WEIGHING SCALE	Power Supply: 110-220V(AC), Display Type: LCD, Size: 315*207*90mm, Platform size: 173*188mm, Units: kg,oz,ct,ozt,dwt,t,g, Material: SS and glass windshield, Capacity: 2kgs, Pan: Stainess Steel	6	Piece	7,200.00
10	FLASK	Rotary Evaporator Accessories. Should be compatible with existing DLAB Pro-100 brand. Including spare round bottom flasks of different capacities with neck size 29/32.	1	Set	9,200.00
11	GLASS WOOL	analytical grade. Comes in sheets 3mm thick x 250 mm wide x 1,300 mm long. Provide SDS of the chemical and certificate of analysis upon delivery. Shelf life should be at least 3 years or longer from date of purchase. After sales provision on certifi	1	Sheet	6,000.00
12	HANDHELD REFRACTOMETER	Type: Bx/Saline	1	Unit	35,000.00
13	KITCHEN KNIFE	Set Includes: Cleaver, Ham, Carver, Steak, Slicer, Boner, Chef's, Bread, Pairing and Tomato Knife; Construction: Stainless steel blade, Slip resistant grip and non absorbent.	5	Set	85,000.00
14	MEASURING PIPETTE	(BOROSILICATE, 0.1ml CAPACITY), Glass	15	Piece	7,500.00
15	MECHANICAL WEIGHING SCALE	10 KG X 50 G;, 10 kg x 50 g; Fine Point Indicator; Three Capacities; Removable Stainless Steel Platform; 30° Tilted Dial; Zero Setting Mechanism; 8" Dial; Material: Stainless Steel; Operating Temperatures: 14 °F ~ 104 °F (-10 °C ~ 40 °C); NSF Certifi	3	Unit	51,000.00
16	MICROSCALE KIT	Williamson Improved Standard	5	Set	100,000.00
17	PROOFING/PAN RACKS	Stainless Steel Rack; Heavy Duty; With Wheels; 30 Shelves, 2 inches Runner, Spacing; Overall Dimensions: 70 inches High x 20.5 inches Wide x 26 inches Deep; Accommodates 18 inches x 26 inches Pan Size and Proofing Board	2	Unit	35,000.00
18	SEPARATORY FUNNEL	500 mL. Borosilicate type. Height: 354 mm. Pear shaped (Squibb) type with Teflon stopcock. Clear glass body. Highly chemical resistant and fully autoclavable. High density linear polyethylene stopper with closed bottom included. Accepts stopcock size	4	Piece	20,000.00
19	SEPARATORY FUNNEL	Glass Separatory Funnel, 250 mL. Borosilicate type. Height: 311 mm. Pear shaped (Squibb) type with Teflon stopcock. Clear glass body. Highly chemical resistant and fully autoclavable. High density linear polyethylene stopper with closed bottom includ	4	Piece	17,200.00
20	STORAGE RACK	Laboratory Sample Storage Rack, material: cold rolled steel or galvanized steel, 1.0mm or 1.2 thickness. weight capacity: 100kg per layer, customized: style: can be assembled and disassembled easily, size:2200x450x2000mm, customized. 3 to 4 layers.	1	Set	30,000.00
۱ <u>۱</u> ـــــــــــــــــــــــــــــــــــ					

7.44 AIVI					
21	WORKING TABLES	Stainless Steel: 304; Steel Gauge: 18; Width: 18"; Length: 30"; Height: 34"; Weight: 36.0 lbs	6	Unit	90,000.00
	formation ers must download the	attached documents in the associated compone	nt section.		

Created by

Juliet Elaine Acuna

Date Created

21/09/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2022 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap