REQUEST FOR QUOTATION (RFQ) No. 263-2023

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an Alternative Method of Procurement through Negotiated Procurement for the items stated below, in accordance with Section 53.9 Small Value Procurement of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

TSU bereinefter referred to as "the Ruyer" new requests submission of a price quotation for the

Purchase Request No.	DESCRIPTION/PARTI	CULARS	APPROVED BUTHE CONTRAINCLUSIVE	ACT (ABC)
2023-04-150 (PROC)	VARIOUS AUDIO VISUAL	EQUIPMENT		730,000.00
Purpose: Audio and Visual Equip	ment APP 1st Quarter 2023			
Philgeps Posting: Active Da	ate: 4/27/23	Category:	No.: 9695	VISUAL T
Philgeps Posting: Active Day Closing I	Date: 5/2/23	Reference	No.: 9695	270
	layor's / Business Permit		ome / Business	
Proof of PhilGeps F	-	Omnibus S	ome / Business Sworn Stateme if applicable	
Proof of PhilGeps F	Registration	Omnibus S Brochure,	Sworn Staterne if applicable	ent
Proof of PhilGeps F	Registration	Omnibus S Brochure,	Sworn Staterne if applicable	ent
Proof of PhilGeps F TSU Condition of Sale: 1. Delivery Schedul 2. Bid Validity:	e: 40 calendar days	Omnibus S Brochure, s from receipt of s submission of bid	Sworn Stateme if applicable approved PO/Ns	ent
Proof of PhilGeps F TSU Condition of Sale: 1. Delivery Schedul 2. Bid Validity: 3. Delivery Site: Su	Registration	Omnibus S Brochure, s from receipt of s submission of bid	Sworn Stateme if applicable approved PO/Ns	ent
Proof of PhilGeps F TSU Condition of Sale: 1. Delivery Schedul 2. Bid Validity: 3. Delivery Site: Su (043) 4. Warranty shall be	e: 40 calendar days 20 calendar days pply and Property Managemer	Omnibus S Brochure, s from receipt of s submission of bid nt Unit, Tarlac Sta e (3) months of e	Sworn Stateme if applicable approved PO/f Is ate University xpendable sup	ent NTP

comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission/of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at tsucanvassing@gmail.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

Form No.: TSU-PRO-SF-0	1	Revision No.: 06	Effectivity Date: March 5, 2020	Page 1 of 9

Date:	4/25/2023
RFQ No.	263-2023
PR No.	2023-04-150 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	unit	COSMO C1 SDI/HDMI WIRELESS VIDEO TRANSMISSION SYSTEM, Wireless Video Transmitter/Receiver Set Transmitter HDMI/SDI Input, SDI Loop Out Receiver HDMI & 2 x SDI Outputs OLED Screen, USB Type-C Power Input 1000' Line-of-Sight 1080p60 Transmission 5.1 to 5.9 GHz Frequency Range AES-128 Encryption, 40 ms Latency L-Series Battery Plates on TX/RX DC Adapter Power or Optional Battery. I/O Antenna Ports Transmitter/Receiver: 2 x RP-SMA Female Video Transmitter: 1 x BNC (3G-SDI) Input Transmitter: 1 x HDMI Type A Input Transmitter: 1 x BNC (3G-SDI) Loop Output Receiver: 2 x BNC (3G-SDI) Output Receiver: 1 x HDMI Type A Output HDCP Support Not Specified by Manufacturer Embedded Audio HDMI/SDI: 2-Channel Audio None Power Transmitter/Receiver: 1 x Coax (16 VDC) Input Other I/O Transmitter/Receiver: 1 x USB 3.1 / USB 3.2 Gen 1 (USB Type-C) Input Encryption 128-Bit AES Wireless Wireless Range 1000' / 304.8 m Channel Bandwidth 40 MHz Frequency Range US: 5.1 to 5.9 GHz Latency 40 ms Wi-Fi Yes Format Support Video Format HDMI/SDI 1080p: 6Q Audio Format NotSpecified by Manufacturer Timecode Supportyes Power DC Input Power6 to 16 VDC Battery TypeTransmitter/ Receiver: 1x I- Series			

Audio Suppo	Format ortyes P	NotSpecified by Manufactower DC Input Power6 to ransmitter/ Receiver: 1x	16 VDC			
Warranty	;			<u></u>		
The above-quoted price is	s inclu	isive of all costs ar	nd applicable ta	axes		
Very truly yours,						
AUTHORIZED REPRESE	ENTA	ΓIVE:				
Signature	:					
Printed Name	:					
Date	:					
Company Name Register	ed :					
E-mail Address	:					
Contact no.	:					
BANK DETAILS:						
Bank Name	:			_		
Bank Address	:					
Bank Account Name	:			_		
Bank Account Number	:					
Form No.: TSU-PRO-SF-06		Revision No.: 06	Effectivity Da	te: March 5, 2020	0	Page 2 of 9
Form No., 130-FRO-3F-00		1101301111000			_	

Date:	4/25/2023
RFQ No.	263-2023
PR No.	2023-04-150 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO. UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
2 unit	FULL-DUPLEX WIIRELESS DECT INTERCOM SYSTEM WITH 6 HEADSETS, (1.9 GHZ) Wide Frequency Response for Clear Audio True Wireless Headset, No Bodypack Comfortable to Wear All Day Long 1000' 2-Way Operating Range DECT 6.0 for Stability and Security Instant Pairing, Easy to Use, Acoustic Echo Cancellation Includes Batteries and Charger Expandable System Frequency Response 150Hz~7KHz Signal-to-Noise Ratio 55dB Distortion <1 % Microphone Type Electret Maximum Input Sound Pressure Level 115dBSPL Output Sound Pressure Level 98+3dBSPL (at 94dBSPL 1kHz) Net Weight ~170g (batteries included) Working Temperature 0~+45°C (Working Status) -20~+60°C (Storage Status)	1		

Morronty			
Warranty :			
The above-quoted price is inclu	sive of all costs ar	nd applicable taxes	
Very truly yours,			
AUTHORIZED REPRESENTA	TIVE:		
Signature Printed Name Date Company Name Registered E-mail Address Contact no. BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			Page 3 of 9
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 3 of 9

Date:	4/25/2023
RFQ No.	263-2023
PR No.	2023-04-150 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

TELEPROMPTER WITH SINGLE LCD, APEX 20INCH PROFESSIONAL TELEPROMPTER WITH SINGLE LCD Teleprompter bracket 20 inch LCD Display Tripod wheels (optional)VGA or HDMI cable Camera bracket Imported Glass Mirror (46*48cm) Power plug wire HDMI Cable Teleprompter Cap / HoodSoftware Wireless Remote Teleprompter General description: • support win xp /win7/win10 system • The software is available in 256 colors. The male and female broadcasters can choose different background colors and to facilitate the male and female broadcasters to choose their own broadcast words. The font and size can be set arbitrarily. A variety of roles can be selected to distinguish the male or female characters. • easy to edit documens, easy to operate, automatically complete typesetting, support txt, rtf, word, ppt and other format files.	ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
	3	unit	PROFESSIONAL TELEPROMPTER WITH SINGLE LCD Teleprompter bracket 20 inch LCD Display Tripod wheels (optional)VGA or HDMI cable Camera bracket Imported Glass Mirror (46*48cm) Power plug wire HDMI Cable Teleprompter Cap / HoodSoftware Wireless Remote Teleprompter General description: • support win xp /win7/win10 system • The software is available in 256 colors. The male and female broadcasters can choose different background colors and to facilitate the male and female broadcasters to choose their own broadcast words. The font and size can be set arbitrarily. A variety of roles can be selected to distinguish the male or female characters. • easy to edit documens, easy to operate, automatically complete typesetting, support txt, rtf, word, ppt and other	1		

Warranty :			
The above-quoted price is inclu	usive of all costs ar	nd applicable taxes	
Very truly yours,			
AUTHORIZED REPRESENTA	TIVE:		
Signature Printed Name Date Company Name Registered E-mail Address Contact no. BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 4 of 9

Date:	4/25/2023
RFQ No.	263-2023
PR No.	2023-04-150 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		 The monitor and high-resolution color display are used respectively, with high definition and clear writing. It is suitable for recording of various TV studios, school studios, stages, etc., and live programs are required. The exclusive development of mirroring function LCD screen, support VGA, HDMI, AV video signal input, so that the text pictures seen by the guide and the broadcaster are positive image display, support the computer to open any file format. Paragraph format, indentation, and line spacing can all be set. Dates are inserted at any time. The software supports English, Chinese, Arabic ,French etc languages. The system automatically records the speech, automatically finds and opens the performance draft when power is applied after an abnormal power outage, ensuring the integrity of the broadcast. Regards scrolling time, the local time can be displayed on the same screen, arbitrarily set the size of the color, it is easier to put my rhythm, the key statement can be marked by color. The scrolling speed can be adjusted, and the scrolling speed can also be adjusted by the controller. 			
					1

Warranty :			
The above-quoted price is inclu	sive of all costs ar	nd applicable taxes	
Very truly yours,			
AUTHORIZED REPRESENTAT	IVE:		
Signature Printed Name Date Company Name Registered : E-mail Address : Contact no. BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 5 of 9

			PRICE QUOTATION			
Date:	4/25/	/2023				
RFQ No.		-2023				
PR No.	2023-04-150					
		s Committe	•			
	rement Uni		e			
c/o Procu	rement on	it.				
TSU, Tar	lac City					
(045) 982	-4630 / (045)) 606 -8157				
(0.0) 002	(,				
Sir / Mada	am·					
Oil / IVIAG	aiii.					
After havi	ing carefull	v read and	accepted the terms and conditions	in the Req	uest for Quo	tation,
hereunde	r is our prid	ce quotation	for the item/s identified below:			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		•				
ITEM NO.	UNIT		ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
II EM NO.	UNIT	<u> </u>	TIEM & DEGUMENTON			
		. No interrup	ition, no flashing			
			l method is flexible , the keyboard, mouse,			
		pedal, and wir	eless remote control can be used.			
		The subtitle	e speed can be adjusted freely, and the page			
		turning is conv	venient. Professional multi-layer optical glass, is only: 2mm. The light transmittance is over			
		97%, and the	reflection degree is up to 50%.			
		Color LCD	panel Mirror display, high definition, size 20			
		inch.				
			ompter and camera are combined into one and other to adapt to the broadcast of emergency			
1	ŀ	news. Self	checking screen, the broadcaster can view his	ļ		1
		image at any				1
	1		o-reversing Full HD LCD monitor . upport VGA ,HDMI ,AV SDI video port .			
		The monitor	support all kinds of language setting			
	j	High quality w	ide -screen 1440*900 resolution .			
	-	Variable angle		1		
		Adjustable ang	; gle : 0-80 depends on the announcer		Ì	
		comfortable a			1	
	ļ			 	<u> </u>	
	<u></u>	<u> </u>			<u>L</u>	<u> </u>
\6/a-ranti						
Warranty		•		-		
				·00		
The abov	/e-quotea p	orice is incit	isive of all costs and applicable tax	, ,		
Very truly	y yours,					
			TI /P.			
AUTHOF	RIZED REP	RESENTA	IIVE:			
Signatur		:		_		
Printed N	Name	:		_		
Date		:		_		
Compan	y Name Re	egistered		_		
E-mail A	-	:		-		
Contact	no.	:		_		
	ETAILS:					
Bank Na		:		_		
Bank Ad		:		_		

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 6 of 9	Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 6 of 9
--	-------------------------	------------------	---------------------------------	-------------

Bank Account Name Bank Account Number

Date:	4/25/2023
RFQ No.	263-2023
PR No.	2023-04-150 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
4	set	VIDEO CONFERENCING EQUIPMENT, CAMERA Ultra-HD imaging system supports: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps 1080p, 720p at 30 fps and 60 fps Smooth motorized pan, tilt and zoom Pan: ±90° Tilt: +50° / -90° 15x HD zoom 90° field of view Adaptive pan and tilt speed up to 70°/second (slows when zoomed in for easier control) Automatic inversion detection to correct image orientation and camera controls when mounted upside down Autofocus 3 camera presets Kensington® security slot Video mute/unmute LED indicator Standard tripod thread Lens parks at -90° in sleep mode for assured privacy SPEAKER High-performance 3" (76mm) driver Patent pending suspension system eliminates vibration-induced camera shake and audio interference Mini XLR cable (9.6 ft (2.95m)) connects to Rally Display Hub for both signal and power	1		
			<u> </u>	<u></u>	<u> </u>

Warranty :			
The above-quoted price is incl	usive of all costs an	nd applicable taxes	
Very truly yours,	+ 4		
AUTHORIZED REPRESENT	ATIVE:		
Signature :			
Printed Name :			
Date :			
Company Name Registered	:		
E-mail Address	•		
Contact no.			
BANK DETAILS:			
Bank Name			
Bank Address :			
Bank Account Name	:		
Bank Account Number	:		
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 7 of

Date:	4/25/2023
RFQ No.	263-2023
PR No.	2023-04-150 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

MIC POD Pickup range: 15 ft / 4.5m diameter Four microphones with eight beamforming elements Mute button with LED status indicator Captive cable: 9.6 ft (2.95m) Daisy chain up to 7 Rally Mic Pods TABLE HUB Single cable (CAT6A) connection to Display Hub (16.4 ft (5m) CAT6A Ethernet cable included, supports customer-supplied cables up to 164 ft (50 m)) Active speaker detection: analyzes audio from up to 7 Mic Pods and 56 beams every 8ms 12 Pin connector for Rally Mic Pod HDMI Type A for wired content sharing HDMI Type A for display Power input USB Type C (Ultra HD / 4K capable) USB Type A (reserved for future capability) USB Type B (connects to meeting room computer) RJ45 (Ethernet) Bluetooth® wireless technology	
DISPLAY HUB HDMI Type A (x2) (connects to displays) Power input USB C (connects to Rally Camera) USB Type B (connects to meeting room computer) RJ45 (connects to Table Hub) Mini XLR (x2) (connects to Rally Speakers) Powers one or two Rally Speakers INSIDE THE BOX Camera Speaker: 2, Mic: 2, Table Hub, Display Hub, 2 x Power Supplies, Remote Control, USB C to C cable, USB A to B cable, CAT6A 2 x HDMI A to A cable, Documentation	

Warranty :			
The above-quoted price is incl	usive of all costs ar	nd applicable taxes	
Very truly yours,	are a		
AUTHORIZED REPRESENTA	ATIVE:		
Signature : Printed Name :			
Date :			
Company Name Registered	-		
E-mail Address	•		
Contact no. : BANK DETAILS:	·		
Bank Name			
Bank Address : Bank Account Name	·		
Bank Account Number	:		
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 8 of 9

Date:	4/25/2023
RFQ No.	263-2023
PR No.	2023-04-150 (PROC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

1 SET PORTABLE ACTIVE PA SPEAKER SYSTEM Acoustical specifications, Frequency Response: 40 Hz ÷ 20000 Hz, Max SPL @ 1m: 130 dB, Horizontal coverage angle: 90°, Vertical coverage angle: 30° Transducers, Full range: 8" high performance neodymium x 4,0" with a phase plug, 1.0" VC Woofer: 15", 3.0" voice coil (VC), Input/Output section, Input signal: bal/unbal, Input connectors: XLR, Jack Output connectors: XLR, Input sensitivity: -2 dBu/+4 dBu Processor section, Crossover Frequencies: 180 Hz, Protections: Thermal, RMS Limiter: Soft Limiter, Controls: Volume, EQ Power section, Total Power: 1400 W Peak, 700 W RMSHigh frequencies: 400 W Peak, 200 W RMS Low frequencies: 400 W Peak, 500 W RMS, Cooling: Convection Connections: VDE, Physical specifications, Cabinet/Case Material: Baltic birch plywood Color: Black Size, Height: 2200 mm / 86.61 inches, Width: 410 mm / 16.14 inches Depth: 560 mm / 22.05 inches, Weight: 36.4 kg / 80.25 lbs, With warranty at least 1 year A. Pole mountable. The top column will be inserted on the pole mount, which can be easily screwed on the Sub top side and the pole mount can be separated in two single parts in order to place it on the transportation bag for easy transportability.	ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
B. With Cover	5	set	Acoustical specifications, Frequency Response: 40 Hz ÷ 20000 Hz, Max SPL @ 1m: 130 dB, Horizontal coverage angle: 90°, Vertical coverage angle: 30° Transducers, Full range: 8" high performance neodymium x 4.0" with a phase plug, 1.0" VC Woofer: 15", 3.0" voice coil (VC), Input/Output section, Input signal: bal/unbal, Input connectors: XLR, Jack Output connectors: XLR, Input sensitivity: -2 dBu/+4 dBu Processor section, Crossover Frequencies: 180 Hz, Protections: Thermal, RMS Limiter: Soft Limiter, Controls: Volume, EQ Power section, Total Power: 1400 W Peak, 700 W RMSHigh frequencies: 400 W Peak, 200 W RMS Low frequencies: 1000 W Peak, 500 W RMS, Cooling: Convection Connections: VDE, Physical specifications, Cabinet/Case Material: Baltic birch plywood Color: Black Size, Height: 2200 mm / 86.61 inches, Width: 410 mm / 16.14 inches Depth: 560 mm / 22.05 inches, Weight: 36.4 kg / 80.25 lbs, With warranty at least 1 year A. Pole mountable. The top column will be inserted on the pole mount, which can be easily screwed on the Sub top side and the pole mount can be separated in two single parts in order to place it on the	1		

Varranty :				
The above-quoted price is inc	lusive of all costs ar	nd applicable taxes		
Very truly yours,	ATIVE:			
Signature Printed Name				
Date :: Company Name Registered	:			
E-mail Address Contact no.	;			
BANK DETAILS:				
Bank Name Bank Address				
Bank Account Name Bank Account Number	:			
	In this No. 06	Effectivity Date: March 5, 2020	<u> </u>	Page 9 of 9
Form No. TSULPRO-SE-06	Revision No.: 06	Ellectivity Date. March 5, 2020		





Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

9695270

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Various Audio Visual Equipment

Area of Delivery

Tarlac

Solicitation Number:	263-2023	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Audio and Visual Equipment		
Approved Budget for the Contract:	PHP 730,000.00	Document Request List	0
Delivery Period:	40 Day/s	Document Request List	v
Client Agency:			
	ar ar ar the state of the state	Date Published	27/04/2023
Contact Person:	Tutchie Panlilio Clerk		
	TSU, Romulo Blvd. San Vicente, Tarlac City, Philippines Tarlac City Tarlac	Last Updated / Time	26/04/2023 08:03 AM
	Philippines 2300 63-2-092058494963	Closing Date / Time	02/05/2023 13:00 PM
	elenamayteofilo73@omail.com	d l	

Description

For University Use

Line Items					
Item No.	Franket/Service Name	Description	Quantity	SOM:	Rugger (FMF)
1	COSMO C1 SDI/HDMI WIRELESS VIDEO TRANSMISSION SYST	Wireless Video Transmitter/Receiver Set Transmitter HDMI/SDI Input, SDI Loop Out Receiver HDMI & 2 x SDI Outputs OLED Screen, USB Type-C Power Input 1000' Line-of-Sight 1080p60 Transmission 5.1 to 5.9 GHz Frequency Range AES-128 Encryption, 40 ms Lat	3	Unit	165,000.00
2	FULL-DUPLEX WIIRELESS DECT INTERCOM SYSTEM WITH 6	(1.9 GHZ) Wide Frequency Response for Clear Audio True Wireless Headset, No Bodypack Comfortable to Wear All Day Long 1000' 2-Way Operating Range DECT 6.0 for Stability and Security Instant Pairing, Easy to Use, Acoustic Echo Ca	1	Unit	95,000.00
3	TELEPROMPTER WITH SINGLE LCD, APEX 20INCH PROFESSI	Teleprompter bracket 20 inch LCD Display Tripod wheels (optional)VGA or HDMI cable Camera bracket Imported Glass Mirror (46*48cm) Power plug wire HDMI Cable Teleprompter Cap / HoodSoftware Wireless Remote Teleprompter General description	1	Unit	60,000.00
4	VIDEO CONFERENCING EQUIPMENT, CAMERA	Ultra-HD imaging system supports: 4K, 1440p, 1080p, 900p, 720p, and SD at 30fps 1080p, 720p at 30 fps and 60 fps Smooth motorized pan, tilt and zoom Pan: ±90° Tilt: +50° / -90° 15x HD zoom 90° field of view Adaptive pan and tilt speed up to 70	1	Set	230,000.00

5	1 SET PORTABLE ACTIVE PA SPEAKER SYSTEM	Acoustical specifications, Frequency Response: 40 Hz ÷ 20000 Hz, Max SPL @ 1m: 130 dB, Horizontal coverage angle: 90°, Vertical coverage angle: 30° Transducers, Full range: 8" high performance neodymium x 4.0" with a phase plug, 1.0" VC Woofer: 15",	1	Set	180,000.00
Other Inform The bidders mu		hed documents in the associated component	section.		

Created by

Tutchie Panlilio

Date Created

26/04/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004,2004-2023 DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap