# REQUEST FOR QUOTATION (RFQ) No. 069-2022



Form No.: TSU-PRO-SF-06

Revision No.: 06

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an Alternative Method of Procurement through Negotiated Procurement for the items stated below, in accordance with Section 53.9 Small Value Procurement of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to subject below:	o as "the Buyer", now requests	submission of	a price quotation for the
Purchase Request No.	DESCRIPTION/PARTIC	DESCRIPTION/PARTICULARS	
2022-02-042 (FTRC)	WALK-IN FUME HO	OD	400,000.00
Purpose: to be use for the equipme	ent for Fat Analysis for the project o	on the standardi	zation of Chicharon
Philgeps Posting: Active Da Closing D	te: 2/17/22 ate: 2/22/22	Category: Reference	T Laboratory Equipment No.: 8439788
Interested suppliers are require Valid and Current Ma Proof of PhilGeps Re	ayor's / Business Permit 👢	Latest Inc	ome / Business Tax Return Sworn Statement if applicable
2. Bid Validity: 3. Delivery Site: Sup (045 4. Warranty shall be	calendar days f  calendar days from su ply and Property Management of 606-8159 / (045) 982-2605 for a period minimum of three (after acceptance by the procuring	bmission of bio Unit, Tarlac Sta 3) months of e	ds ate University expendable supplies, or a
Award of contract shall be mad comply with the minimum techr		•	•
Any alteration, erasures, or ove or his/her duly authorized repre	-	y are signed o	or initialed by the bidder
Submission of duly signed Price thanat the Proc Open submission may be done julietelaineacuna@yahoo.com	curement Unit, Admin Building T manually or through email at ts	「arlac State Ur	niversity, Tarlac City.
The penalty for late deliveries is portion for every day of delay. percent of the contract price, the courses of action and remedies	Once the cumulative amount of e procuring entity shall rescind	liquidated dar	nages reaches ten (10%)
The TSU reserves the right to r contract in accordance with Sec to the affected bidder or bidders	ction 41 of R.A 9184 and its IRF		
ARLOTA M. MARCOS Head, Procurement Unit			

Effectivity Date: March 5, 2020

Page 1 of 5

Date:	2/16/22
RFQ No.	069-2022
PR No.	2022-02-042 (FTRC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

#### Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

		Walk-In-Furne Hood with table and implements (with removable table top and provision of dedicated top loading, balance and pipetor; Inclusion 1-year warranty, Installation / Commissioning of Equipment with Calibration Certificate with sticker / Recertification for Furne hood and actual training to the End User.		
		Specifications:		
1	set	External Size (W*D*H): 1500*800*2200mm, Internal Size (W*D*H): 1280*600*1650mm, Max Opening: 1300mm, Exhaust Airflow Volume: 1500m3/h, Inflow Air Velocity: 0.3~0.8m/s, Noise: 62dB, Vibration: XYZ direct ≤4µm, Illumination: ≥800Lux, LED Lamp: 16W*2, Power Supply: AC220V±10%, 50/60Hz;110 V±10%, 60Hz, Consumption: 600W, Front Window: Manual, Toughened glass, Material Exterior: 1.0mm cold-rolled steel with bacteria powder coating, Material Interior: High grade melamine board with good acid and alkali resistance function, Standard Accessory: Blower (External), LED lamp, Water tap. Gas tap, PP cup sink, Remote control water valve, Remote control gas valve, Waterproof sockets * 4,4 meters, PVC exhaust duct and Fabricated Table with roller, Sockets: Total load of 4 waterproof sockets: ≤500W, Package Size(W*D*H) mm, Main Body: 1710*1050*2430 mm, Exhaust Blower: 1040*890*710 mm, Certifications: CE, ISO 9001, ISO 13485, and NQA Conformity	1	

Form No.: TS	J-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 2 of 5
	ress ount Name ount Number	:		
<b>BANK DE</b> Bank Nam		:		
Contact n	Ο.	:		
Company <b>E-mail A</b> c		d :		
Signature Printed Na Date	ame	:		
	ZED REPRESEN	NTATIVE:		
Very truly	•	inclusive of all costs a	nu applicable taxes	
Warranty	a guatad prica in	···· · · · · · · · · · · · · · · · · ·	nd applicable tayer	
	PP cup gas valv duct and 4 water Main Bo 1040*89	ory: Blower (External), LED lar sink, Remote control water varies, Remote control water varies, Waterproof sockets * 4,4 m d Fabricated Table with roller, proof sockets: ≤500W, Packagody: 1710*1050*2430 mm, Extra 20*710 mm, Certifications: CE A Conformity	nlve, Remote control neters, PVC exhaust Sockets: Total load of ge Size(W*D*H) mm, naust Blower:	

Form No.: TSU-PRO-SF-06	Revision N	No.: 06 Effectivity	Date: March 5, 2020	Page 2 of 5

Date:	2/16/22
RFQ No.	069-2022
PR No.	2022-02-042 (FTRC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

#### Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
	Advantage:			
	With memory function in case of power-failure.			
	Operators are available to walk into the fume hood to operate if need.			
	Large room exhaust system, suitable for large laboratory instruments and equipment.			
	Package Includes the Following:			
	1-unit Table with ball caster w/ lock 1000 x 800 mm, 1-unit Top Loading Balance			
	Description:			
	Application Area: Education, Production, Research and development, Other, General Laboratory, Food & Beverage, Pharmacies. Special Laboratory Applications: Mixing, Components, Statistics, Conversion. Standard Laboratory Applications: Weighing, Density, Percentage, Check Weighing, Peak Hold, Counting, Unstable Conditions, Animal Weighing. Calibration History: Yes, Data Interface: Mini USB, Data Transfer: Direct transfer to Windows applications, Programmable interval for data output, Data transfer protocols SBI - table format - text format, Connectivity: PC-direct data transfer, Plug & Play to printer, Weighing Pan Diameter: 180 mm Adjustment: Internal automatic, Anti-Theft Locking Device: lockdown capability for cable or chain,			
	UNIT	Advantage:  1. With memory function in case of power-failure.  2. Operators are available to walk into the fume hood to operate if need.  3. Large room exhaust system, suitable for large laboratory instruments and equipment.  Package Includes the Following:  1-unit Table with ball caster w/ lock 1000 x 800 mm, 1-unit Top Loading Balance  Description:  Application Area: Education, Production, Research and development, Other, General Laboratory, Food & Beverage, Pharmacies. Special Laboratory Applications: Mixing, Components, Statistics, Conversion. Standard Laboratory Applications: Weighing, Density, Percentage, Check Weighing, Peak Hold, Counting, Unstable Conditions, Animal Weighing. Calibration History: Yes, Data Interface: Mini USB, Data Transfer: Direct transfer to Windows applications, Programmable interval for data output, Data transfer protocols SBI - table format - text format, Connectivity: PC-direct data transfer, Plug & Play to printer, Weighing Pan Diameter: 180 mm Adjustment: Internal automatic, Anti-Theft	Advantage:  1. With memory function in case of power-failure.  2. Operators are available to walk into the fume hood to operate if need.  3. Large room exhaust system, suitable for large laboratory instruments and equipment.  Package Includes the Following:  1-unit Table with ball caster w/ lock 1000 x 800 mm, 1-unit Top Loading Balance  Description:  Application Area: Education, Production, Research and development, Other, General Laboratory, Food & Beverage, Pharmacies. Special Laboratory Applications: Mixing, Components, Statistics, Conversion. Standard Laboratory Applications: Weighing, Density, Percentage, Check Weighing, Peak Hold, Counting, Unstable Conditions, Animal Weighing. Calibration History: Yes, Data Interface: Mini USB, Data Transfer: Direct transfer to Windows applications, Programmable interval for data output, Data transfer protocols SBI - table format - text format, Connectivity: PC-direct data transfer, Plug & Play to printer, Weighing Pan Diameter: 180 mm Adjustment: Internal automatic, Anti-Theft	Advantage:  1. With memory function in case of power-failure.  2. Operators are available to walk into the fume hood to operate if need.  3. Large room e_haust system, suitable for large laboratory instruments and equipment.  Package Includes the Following:  1-unit Table with ball caster w/ lock 1000 x 800 mm, 1-unit Top Loading Balance  Description:  Application Area: Education, Production, Research and development, Other, General Laboratory, Food & Beverage, Pharmacies. Special Laboratory Applications: Mixing, Components, Statistics, Conversion. Standard Laboratory Applications: Weighing, Density, Percentage, Check Weighing, Peak Hold, Counting, Unstable Conditions, Animal Weighing. Calibration History: Yes, Data Interface: Mini USB, Data Transfer: Direct transfer to Windows applications, Programmable interval for data output, Data transfer protocols SBI - table format - text format, Connectivity: PC-direct data transfer, Plug & Play to printer, Weighing Pan Diameter: 180 mm Adjustment: Internal automatic, Anti-Theft

		development Pharmacies Components Applications Weighing, P Weighing, C Data Transfe Programmal protocols SE direct data to Diameter: 18	. Special Laboratory Apps, Statistics, Conversion .: Weighing, Density, Pereak Hold, Counting, Unstalibration History: Yes, I er: Direct transfer to Windle interval for data outpole interval for data cutp ransfer, Plug & Play to pransfer, Plug & Play to p	atory, Food & Beverage, olications: Mixing, . Standard Laboratory reentage, Check stable Conditions, Animal Data Interface: Mini USB, dows applications, ut, Data transfer mat, Connectivity: PC-rinter, Weighing Pan mal automatic, Anti-Theft				
Warranty		:						
The above	e-quoted pr	ice is incl	usive of all costs	and applicable taxe	es			
Very truly								
•	•							
AUTHORI	ZED REPF	RESENTA	ATIVE:					
Signature Printed Na Date Company E-mail Ad Contact no	Name Reg <b>dress</b>	: : istered :						
BANK DE	TAILS:							
Bank Nam	е	:						
Bank Addr	ess							
Bank Acco	unt Name	:						
Bank Acco	unt Numbe	er :						
ormi No.: TSU	J-PRO-SF-06		Revision No.: 06	Effectivity Date:	March 5, 2020	Ī	Page 3 of 5	٦
······································			- <del></del>	<u> </u>				J

Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 3 of 5

Date:	2/16/22
RFQ No.	069-2022
PR No.	2022-02-042 (FTRC)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

#### Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Housing Protection: Acetone cleanable housing, Glass parts of the draft shield are coated to reduce electrostatic influences, In-use cover, Dust cover for balances with draft shield, Languages: English, French, German, Hungarian, Italian, Polish, Portuguese, Russian, Spanish, Turkish, Chinese, Japanese, Korean, Leveling: Manual Maximum Weighing, Capacity: 5,100 g Readability:1 g, Repeatability:1 g, Tamper Protection: Supervisor lock Typical Stabilization, Time: 1.5 s, Underfloor Weighing: Yes, Chemical Resistance: Yes, Linearity: 1 g, Minimum Sample Weight according to USP (typical): 820 g Weighing Units; g, ct, mom, kg, lb, oz, ozt, tlh, tls, tlt, GN, dwt, mg, parts   lb, tlc, Kt, tol, bat, MS, N Line Voltage: 100 – 240 V, 50 – 60 Hz, Balance Type: Precision balance, 1-unit Variable Single Mechanical Proline Plus Pipettor 100-1000ul w/ Tips 960 pcs			
				<del></del> -	

Mecha	nical Proline Plus Pipettor 100-	1000ul w/ Tips 960 pcs	
Warranty	:		
The above-quoted price is	inclusive of all costs a	and applicable taxes	
Very truly yours,			
AUTHORIZED REPRESE	NTATIVE:		
Signature Printed Name Date Company Name Registere E-mail Address Contact no.	ed :		
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number	:		
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 4 of 5

Date:	2/16/22	
RFQ No.	069-2022	
PR No.	2022-02-042 (FTRC)	

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Description:			
		Volume 100-1000 ul - increment 1.0 ul, Systematic Error for test volumes 100ul needs 2.5ul, 500 ul needs 4.0ul and 1000ul needs 7.0ul, Easy volume adjustment with click stop system, Large display for easy reading of volume - For both right- and left-handed users, Color coded for easy matching of fitting tips - Materials have high chemical and UV[1]resistance to secure long life-time of the pipette, Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools, Safe-cone filters available for extra protection when using non-filtered tips, With light tip ejector, Fully autoclavable without the need for disassembly, Superior Ergonomics - designed handle and finger hook, Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil, Pipetting force of 15N to avoid Repetitive Strain Injury (RSI) - With click stop as volume locking, Length 239 mm - Weight of 82 grams			

to m Repo	echanical etitive Stra	spring coil, Pipetting for in Injury (RSI) - With cl	rce of 15N to avoid ick stop as volume			
Marranty						
Warranty	· -			_		
The above-quoted price	is inclus	sive of all costs a	nd applicable tax	es		
Very truly yours,						
AUTHORIZED REPRES	ENTAT	IVE:				
Signature Printed Name Date Company Name Registe E-mail Address Contact no.	red			- - - -		
BANK DETAILS:						
Bank Name	: _	· · · · · · · · · · · · · · · · · · ·		_		
Bank Address	: <u>-</u>			_		
Bank Account Name	: _			_		
Bank Account Number	: _			_		
Form No.: TSU-PRO-SF-06	Ī	Revision No.: 06	Effectivity Date:	March 5, 2020	F	Page 5 of 5





Central Portal for Philippine Government Procurement Oppurtunities

#### **Bid Notice Abstract**

## Request for Quotation (RFQ)

**Reference Number** 

8439788

**Procuring Entity** 

TARLAC STATE UNIVERSITY

Title

Walk-in Fumehood

Tarlac

Area of Delivery		Tarlac	
Solicitation Nun	nber: 069-2022	Status	Pending
Trade Agreeme	Implementing Regulations	Rules and	
Procurement Mo	Negotiated Pro Small Value Pro (Sec. 53.9)		inents
Classification:	Goods	Bid Supplements	
Category:	Laboratory Su Equipment	pplies and	
Approved Budge the Contract:	et for PHP 400,000.	Document Reques	t List (
Delivery Period:	30 Day/s		
Client Agency:		Date Published	17/02/2022
Contact Person:	Juliet Elaine A	cuna	
	Canvasser Romulo Blvd. Tariac City Tariac	Last Updated / Tin	ne 16/02/2022 16:52 PM
	Philippines 230 63-045-60681		22/02/2022 13:00 PM
	julietelaineacu	na@yahoo.com	
Description			***
For FTRC use.			
Line Items			
Itam ho.	Produkti Albert (1997)	e, in the second of the second	on the section of the
	Walk in Fumehood	please see attached specification.	1 Set 400,000.00

**Created by** 

Juliet Elaine Acuna

**Date Created** 

16/02/2022

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

The bidders must download the attached documents in the associated components section.